

**amasty**

For more details see how the [Social Login for Magento 2](#) extension works.

# Guide for Social Login for Magento 2

Social Login extension significantly fastens the registration process for customers. It improves customers' shopping experience and collects consumers' social profile data.



- AJAX pop-up for the login/register purpose
- AJAX login pop-up on the cart and checkout pages
- 4 positions of the social login bar
- Redirect after login
- Included reCAPTCHA
- Supports Google, Facebook, Twitter, Instagram, LinkedIn, Amazon, Paypal, Twitch, Microsoft Azure, Pinterest
- Hyva-ready storefront and Hyvä Checkout ready
- WCAG compliance (for the extension with Luma and Hyvä Theme)

## Before Configuration

Prior to enabling the Social Login for Magento 2 extension, please make sure that you have installed the additional **hybridauth** plugin.

But, please consider that the separate **hybridauth** installation is required only in case you have installed your Social Login extension manually (via app/code). If you have installed the extension via composer, the **hybridauth** plugin has been already installed together with the extension.

In Social Login **v.1.9.0** we added the support of the **HybridAuth v3.7.1**.

That means that after extension installation or update to version 1.9.0 or higher, you need to update your Hybridauth. To do so, please run the following command:

```
composer require hybridauth/hybridauth:~3.3
```

After upgrade to 1.9.0 version, you'll see the setting option **Use New Redirect URI** in **Configuration → Social Login → General Settings**. If you used previous Social apps configurations, the *Use New Redirect URI* option will be set to *No* by default.

If you switch this option to **Yes**, old Redirect Uri settings will be refreshed and you'll need to re-configure the app and insert the Redirect URLs anew, to re-connect extension to socials.

For new modules installation, the *Use New Redirect Uri* option is set to *Yes* by default. Please proceed with configuring the extension as described in the User Guide.

The extension is compatible with **Hyvä Theme**. You can find the '*amasty/module-social-login-hyva*' package for installing in composer suggest. The compatibility is available as part of an active product subscription or support subscription.

The extension is compatible with **Hyvä Checkout**. The compatibility is provided in one package with the Hyvä Theme, you can find the '*amasty/module-social-login-hyva*' package for installing in composer suggest. The compatibility is available as a part of an active product subscription or support subscription.

## Install Hybridauth

To install *Hybridauth*, you can use **Composer**.

Add the following entry to the **composer.json** file in the root of your project.

```
{
    "require" : {
        "hybridauth/hybridauth" : "~3.8.*"
    }
}
```

Via **Composer**, run a command to install *Hybridauth* and its dependencies:

```
$ php composer.phar install
```

**Composer** will download the latest version of *Hybridauth* Library and locate it in the */vendor/* directory.

For more information, check the [Hybridauth 3 Documentation](#).

## General Settings

To configure the **Social Login for Magento 2** extension, go to **Stores → Configuration → Amasty extensions → Social Login** and expand the **General Settings** section.

**Enable Social Login** - Set to *Yes* to enable the display of social media buttons, which allow to login via social networks.

If after enabling the extension, you receive the following notification: **Additional Social Login package is not installed. Please, run the following command in the SSH: composer require**

**hybridauth/hybridauth**, then install [the missing plugin](#).

**Add Social Login to** - Use multi-select to add social media login buttons to various places on the website.

Available locations:

- Login Popup
- Above customer login form
- Below customer login form
- Above customer registration form
- Below customer registration form
- Shopping cart page
- Checkout page

## General Settings

**Enable Social Login**  
[store view]

Yes

Set 'Yes' to allow login via social networks. Set 'No' to disable social login buttons. Note that the AJAX Pop-up can still be applied for standard login and registration.

**Add Social Login to**  
[store view]

Login Popup

Above customer login form

Below customer login form

Above customer registration form

Below customer registration form

Shopping cart page

Checkout page

Choose where to place the social login buttons.

[Social Login on checkout example:](#)



## Shipping Address


Email Address \*

emily@example.com



You can create an account after checkout.

Login with Your Social Profile



## Order Summary

1 Item in Cart



Iris Workout Top

Qty: 1

\$29.00

View Details

**Login Buttons Shape** - Make the Social Login Buttons catchy by specifying the shape: round, rectangular or square for 3 and more buttons enabled.

Login Buttons Shape  
[store view]

Round Buttons




Round Buttons

Rectangular Buttons

Square Buttons

See the frontend example of the available button designs:



**Enable AJAX popup** - Set to Yes to enable the AJAX pop-up for the registration and login.

**Login Button Position** - Choose the place to display social login buttons.

Available positions:

- Top
- Bottom
- Right
- Left

**Redirect after Login** - Select the necessary page, where to direct customers after their social login.

- Stay on the current page
- To custom URL
- Refresh Current Page

**Enable Ajax Popup**

[store view]

Yes

Set 'Yes' to activate AJAX Pop-up for the registration and login.

**Login Buttons Position**

[store view]

Right

Top

Bottom

Right

Left

Please configure the Social Login Buttons position in the Ajax pop-up. Note that the bottom position is the only available option for the registration pop-up.

**Redirect after Login**

[store view]

Stay on the current page

Stay on the current page

To Custom Url

Refresh Current Page

After login via social button, you can redirect customers to the registration form to fill in the necessary data. To do that, you have to set *at least one attribute with required values*. To do that, please navigate to the **Stores → Attributes → Customer**.

# Customer Attributes



6

admin ▾

Add New Attribute

Search

Reset Filter

16 records found

20 ▾ per page

<

1

 of 1

>

| Attribute Code            | Default Label                                  | Required                   | System                     | Visible to Customer        | Sort Order ▾         |
|---------------------------|------------------------------------------------|----------------------------|----------------------------|----------------------------|----------------------|
| <input type="text"/>      | <input type="text"/>                           | <input type="checkbox"/> ▾ | <input type="checkbox"/> ▾ | <input type="checkbox"/> ▾ | <input type="text"/> |
| created_at                | Created At                                     | No                         | Yes                        | No                         | 0                    |
| updated_at                | Updated At                                     | No                         | Yes                        | No                         | 0                    |
| testic                    | testic                                         | Yes                        | No                         | No                         | 1                    |
| website_id                | Associate to Website                           | Yes                        | Yes                        | Yes                        | 10                   |
| created_in                | Created From                                   | No                         | Yes                        | Yes                        | 20                   |
| group_id                  | Group                                          | Yes                        | Yes                        | Yes                        | 25                   |
| disable_auto_group_change | Disable Automatic Group Change Based on VAT ID | No                         | Yes                        | Yes                        | 28                   |
| prefix                    | Name Prefix                                    | No                         | Yes                        | No                         | 30                   |
| firstname                 | First Name                                     | Yes                        | Yes                        | Yes                        | 40                   |

When creating a new attribute, please note that you have to set the **Values Required** to **Yes**, as shown in the example below.

New Customer Attribute

6

admin

← Back

Reset

Save and Continue Edit

Save Attribute

ATTRIBUTE INFORMATION

Properties

Manage Label / Options

Attribute Properties

Default Label \*  
[global]

First Name

Attribute Code \*  
[global]

first\_name

This is used internally. Make sure you don't use spaces or more than 51 symbols.

Input Type \*  
[global]

Text Field

Values Required  
[website]

Yes

Default Value  
[website]

Input Validation  
[global]

None

Input/Output Filter  
[global]

None

Also, for the attribute to display at the Registration form, in the **Storefront Properties** block the attribute should be allowed for displaying on the frontend. Also, include the attribute for displaying on the frontend.

Storefront Properties

Show on Storefront  
[website]

Yes

Sort Order \*  
[global]

1

Forms to Use In  
[global]

Customer Registration

Customer Account Edit

Admin Checkout

|                                                                                                                                                                  |                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| <b>Use New Redirect URI</b><br>[store view]                                                                                                                      | <div>Yes</div>                                                  |
| Redirect URI will soon be replaced by New Redirect URI. To avoid functioning downtime we strongly recommend to switch to new url before next extension's update. |                                                                 |
| <b>New Redirect URL</b><br>[store view]                                                                                                                          | <div>https://social-login-m2-staging.magento-demo.amasty.</div> |

**Use New Redirect URI** - if you updated the extension, the option will be set to **No** by default. If you installed the extension version 1.7.0 or higher, the option will be automatically set to **Yes**. Learn more in the [Before Configuration - about Hybridauth](#) section of the User Guide. *Note that this setting will be applied to all social networks you use for social login.*

**New Redirect URL** - in this field you'll see the URL of your store, that will be used for redirects after social login.

|                                                                 |                |
|-----------------------------------------------------------------|----------------|
| <b>Close a Popup When Clicked Outside of It</b><br>[store view] | <div>Yes</div> |
|-----------------------------------------------------------------|----------------|

**Close a Popup When Clicked Outside of It** - Set 'Yes' to enable closing the social login popup by clicking outside of it.

**Specifics of the module's operation with the setting “Require Email Confirmation = Yes”**  
(Customer Configuration > Create New Account Options).

- **Social Login Functionality:** Social Login allows users to authenticate via an external platforms. The user's information, including their email, is retrieved directly from the external platform and stored in Magento's database.
- **Email Verification:** Since the email is already verified by the external platform, there's no need for additional email confirmation through Magento. The platform guarantees the authenticity of the email associated with the user.

As a result, the Social Login module does not send additional confirmation emails.

## Google

**Enabled** - Set to 'Yes' to enable the display of the **Google** login button.

## Google

|                                                                                  |                                                                                                                               |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Enabled</b><br>[store view]                                                   | Yes                                                                                                                           |
| See how to configure app <a href="#">here</a> .                                  |                                                                                                                               |
| Copy/paste API codes from application settings of corresponding social networks. |                                                                                                                               |
| <b>Consumer Key (API Key)</b><br>[store view]                                    |                                                                                                                               |
| <b>Consumer Secret (API Secret)</b><br>[store view]                              | .....                                                                                                                         |
| <b>Valid Callback URL (Deprecated)</b><br>[store view]                           | <a href="https://social-login-m2-staging.magento-demo.amasty.com">https://social-login-m2-staging.magento-demo.amasty.com</a> |
| <b>Sort Order</b><br>[store view]                                                | 5                                                                                                                             |

Please note that the '*Valid Callback URL (Deprecated)*' setting will be seen only if you set to 'No' the setting '*Use New Redirect URI*' at the section **General Settings** above.

To create Google App, go to <https://cloud.google.com/console/project>.

Click on the **CREATE PROJECT** button and configure your app settings.

 Google Cloud Platform

 Manage resources  **CREATE PROJECT**  CREATE FOLDER  MOVE  DELETE

amasty.com

Filter by name, ID, project number, or label

Columns

| <input type="checkbox"/> Project name                                                                                         | Labels | Project ID      | Requests ? | Errors ? |
|-------------------------------------------------------------------------------------------------------------------------------|--------|-----------------|------------|----------|
| <input type="checkbox"/>  Amasty           |        | amasty-123456   | 0          | 0        |
| <input type="checkbox"/>  My Project 73694 |        | myproject-73694 | 0          | 0        |
| <input type="checkbox"/>  Youtube          |        | youtube-123456  |            |          |

Specify your project name. The project ID will be generated automatically. Google might also ask to specify an organization to attach it to a project. In this case, select an organization to which your G-suite account belongs. Then, press the **CREATE** button.

Google Cloud Platform

## New Project

You have 11 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[MANAGE QUOTAS](#)

Project name \*  
MyShopCom

Project ID: myshopcom. It cannot be changed later. [EDIT](#)

Organization \*  
amasty.com

Select an organization to attach it to a project. This selection can't be changed later.

Location \*  
amasty.com [BROWSE](#)

Parent organization or folder

[CREATE](#) [CANCEL](#)

After successful project creation, a new message will appear on the notifications bar. Please kindly press the **Select Project** link in the notification.

Google Cloud Platform

Manage resources [+ CREATE PROJECT](#) Notifications [INFO PANEL](#)

Filter


| <input type="checkbox"/> | Name       | ID |
|--------------------------|------------|----|
| <input type="checkbox"/> | amasty.com |    |

[RESOURCES PENDING DELETION](#)


✓ Create Project: MyShopCom Just now

[SELECT PROJECT](#)

You will be redirected to the main dashboard of the newly created project. To proceed with creating new credentials for Amasty Social Login extension for Magento 2, please go to **APIs and Services → Credentials** as shown on the screenshot below.




In the **Credentials** window, please press the **+ CREATE CREDENTIALS** button. Then, a dropdown appears, where you need to select the **OAuth Client ID** option.



In case you haven't created any credentials for this project before, Google will ask you to configure a **Consent Screen**. It is required step, as here you can set up the extension name and other details that the client will be able to see when agreeing to use social login in your store.

To start the OAuth Consent Screen configuration, please press the **CONFIGURE CONSENT SCREEN** button.



In the first step, you need to select whether the extension will be *Internal* or *External*. As the Social Login M2 extension is aimed to assist with quick customer login, please select the **External** option as shown on the example screenshot below. Press the **CREATE** button.

The screenshot shows the Google Cloud Platform interface for configuring an OAuth consent screen. The left sidebar lists navigation options: Dashboard, Library, Credentials, OAuth consent screen (selected), Domain verification, and Page usage agreements. The main content area is titled 'OAuth consent screen' and includes instructions: 'Choose how you want to configure and register your app, including your target users. You can only associate one app with your project.'

**User Type**

☐ Internal ?

Only available to users within your organization. You will not need to submit your app for verification.

☒ External ?

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to [verify your app](#).

[CREATE](#)

[Let us know what you think](#) about our OAuth experience

On the next step, you need to fill in some data on your store, for example, add App Name, Support Contact Email, App Icon, etc. For more information, please see Google's tips on the left side of this page.

Google Cloud Platform

MyShopCom

Search products and resources

APIs & Services

Dashboard

Library

Credentials

**OAuth consent screen**

Domain verification

Page usage agreements

Edit app registration

1 OAuth consent screen

2 Scopes

3 Test users

4 Summary

App information

This shows in the consent screen, and helps end users know who you are and contact you

App name \*

Google Social Login for MyShopCom

The name of the app asking for consent

User support email \*

For users to contact you with questions about their consent

App logo

BROWSE

Upload an image, not larger than 1MB on the consent screen that will help users recognize your app. Allowed image formats are JPG, PNG, and BMP. Logos should be square and 120px by 120px for the best results.

App domain

To protect you and your users, Google only allows apps using OAuth to use Authorized Domains. The following information will be shown to your users on the consent screen.


Application home page

https://myshop.com

Learn

How is this info presented to users?

This is the consent screen that users see



1. Your app logo (if applicable)

2. Your app name, which will be a dynamic link to give users your app's support email address

3. The data you are requesting, or scopes, which you will add the next step

After filling in all the necessary rows, press the **SAVE AND CONTINUE** button.

amasty

Google Cloud Platform

MyShopCom

API

APIs & Services

Dashboard

Library

Credentials

**OAuth consent screen**

Domain verification

Page usage agreements

Edit app registration

### App domain

To protect you and your users, Google only allows apps using OAuth to use Authorized Domains. The following information will be shown to your users on the consent screen.

Application home page

https://myshop.com

Provide users a link to your home page

Application privacy policy link

https://myshop.com/privacy-policy

Provide users a link to your public privacy policy

Application terms of service link

https://myshop.com/service-agreement

Provide users a link to your public terms of service

### Authorized domains

When a domain is used on the consent screen or in an OAuth client's configuration, it must be pre-registered here. If your app needs to go through verification, please go to the [Google Search Console](#) to check if your domains are authorized. [Learn more](#) about the authorized domain limit.

myshop.com

+ ADD DOMAIN

### Developer contact information

Email addresses \*

admin@myshop.com

These email addresses are for Google to notify you about any changes to your project.

SAVE AND CONTINUE

CANCEL

In the second step, named **SCOPE**, simply press **SAVE AND CONTINUE** button. As an OAuth Consent Screen is created in the very beginning of the project setup, there is no credentials to add to the scopes. You will create all necessary credentials few steps later, and they'll be automatically added to the scopes.

Google Cloud Platform

MyShopCom

API

APIs & Services

Dashboard

Library

Credentials

OAuth consent screen

Domain verification

Page usage agreements

Edit app registration

1

 OAuth consent screen — 

2

**Scopes** — 

3

 Test users — 

4

 Summary

Scopes express the permissions you request users to authorize for your app and allow your project to access specific types of private user data from their Google Account. [Learn more](#)

ADD OR REMOVE SCOPES

Your non-sensitive scopes

| API                | Scope | User-facing description |
|--------------------|-------|-------------------------|
| No rows to display |       |                         |

Your sensitive scopes

Sensitive scopes are scopes that request access to private user data.

| API                | Scope | User-facing description |
|--------------------|-------|-------------------------|
| No rows to display |       |                         |

Your restricted scopes

Restricted scopes are scopes that request access to highly sensitive user data.

| API                | Scope | User-facing description |
|--------------------|-------|-------------------------|
| No rows to display |       |                         |

SAVE AND CONTINUE

CANCEL

In the third step, you can add users that can access who can access your application in the test mode. To add new users, click the + **NEW USERS** button.

amasty

Google Cloud Platform MyShopCom

API APIs & Services

Dashboard

Library

Credentials

OAuth consent screen

Domain verification

Page usage agreements

Edit app registration

OAuth consent screen — Scopes — 3 Test users — 4 Summary

### Test users

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

+ ADD USERS

2 users (2 test, 0 other) / 100 user cap

Filter table

**Warning:** In order to limit abuse, users can be added, but not removed

| User information |
|------------------|
| @amasty.com      |
| @amasty.com      |

SAVE AND CONTINUE CANCEL

Then, a pop-up window will appear. Here, you can enter up to 100 emails of users who will be able to access the app. Press the **ADD** button. Then, click on the **SAVE AND CONTINUE**.

**Add users**

While publishing status is set to "Testing", only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app.

[LEARN MORE](#)

Add users to test your app. Once you save, you will not be able to remove users.

[?](#)

[ADD](#)

Add one or more Google Accounts. The following are not allowed and will not be added to your app:

- Google Groups
- Child accounts managed through [Google Family Link](#)
- Deleted or non-existent accounts
- ["Visitor" accounts](#)

In the third step, you can read the summary of your configurations. Press the **BACK TO DASHBOARD** button.

Google Cloud Platform

MyShopCom

API

APIs & Services

Dashboard

Library

Credentials

OAuth consent screen

Domain verification

Page usage agreements

Edit app registration

OAuth consent screen

Scopes

Test users

Summary

OAuth consent screen

EDIT

User type

External

App name

Google Social Login for MyShopCom

Support email

@amasty.com

App logo

Not provided

Application homepage link

https://myshop.com

Application privacy policy link

https://myshop.com/privacy-policy

Application terms of service link

https://myshop.com/service-agreement

Authorized domains

myshop.com

Contact email addresses

admin@myshop.com

Scopes

EDIT

API

Scope

User-facing description

No rows to display

Test users

EDIT

2 users (2 test, 0 other) / 100 user cap

Filter table


User information

@amasty.com

@amasty.com

BACK TO DASHBOARD

Once you've been redirected to the project dashboard, once again go to **APIs and Services** → **Credentials**, and then select the **+ CREATE CREDENTIALS → OAuth Client ID**. This time, you will be taken to the **OAuth Client ID Creation**. To proceed, please select the **Web Application** type.



After you set the config as *Web Application*, additional fields will appear. Fill them in as required by Google, then click **CREATE** button.

Google Cloud Platform

MyShopCom



API

APIs & Services

Dashboard

Library

Credentials

OAuth consent screen

Domain verification

Page usage agreements

←

Create OAuth client ID

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information.

Application type \*

Web application

[Learn more](#) about OAuth client types

Name \*

Google\_SocialLoginM2

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.



The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorized domains](#).

Authorized JavaScript origins ?

For use with requests from a browser

URIs

https://myshop.com

+ ADD URI

Authorized redirect URIs ?

For use with requests from a web server

URIs

https://myshop.com


+ ADD URI

CREATE

CANCEL



After a successful OAuth Credentials creation, a pop-up window with a **Client ID** and **Client Secret** will appear. Please copy the **Client ID** and **Client Secret**, then insert your **API KEY** (Client ID) and **API Secret** (Client Secret) in the appropriate fields in the backend and save the configuration.



For instant access to your store backend and easy onboarding of new team members try **Google Account Login for Magento 2**.

## Facebook

**Enabled** - Set to Yes to enable the display of the **Facebook** login button.


## Facebook

|                                                                                  |                                                                                   |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| <b>Enabled</b><br>[store view]                                                   | <input type="text" value="Yes"/>                                                  |
| See how to configure app <a href="#">here</a> .                                  |                                                                                   |
| Copy/paste API codes from application settings of corresponding social networks. |                                                                                   |
| <b>Consumer Key (API Key)</b><br>[store view]                                    | <input type="text"/>                                                              |
| <b>Consumer Secret (API Secret)</b><br>[store view]                              | <input type="password" value="....."/>                                            |
| <b>Valid Callback URL (Deprecated)</b><br>[store view]                           | <input type="text" value="https://social-login-m2-staging.magento-demo.amasty."/> |
| <b>Sort Order</b><br>[store view]                                                | <input type="text" value="2"/>                                                    |

Please note that the '*Valid Callback URL (Deprecated)*' setting will be seen only if you set to 'No' the setting '*Use New Redirect URI*' at the section **General Settings** above.


To create a Facebook app, go to [Facebook Developers](#)

[Use the video guide to set up Facebook login](#)




First, follow this [link \(Facebook Developers\)](#) and register as a developer or log in.


Then, click on the button '**Create App**'.



On the next window that opens, choose '**Other**' and click 'Next'.



Choose the '**Consumer**' app type from the list and click 'Next'.



Meta for Developers

Docs Tools Support Apps 1 Search

### Create an app

Cancel


☒ Type  
☐ Details

#### Select an app type

The app type can't be changed after your app is created. [Learn more](#)

- Consumer**  
Connect consumer products and permissions, like Facebook Login and Instagram Basic Display to your app.
- Business**  
Create or manage business assets such as Pages, Events, Groups, Ads, Messenger, WhatsApp and Instagram Graph API using the available business permissions, features and products.
- Instant Games**  
Create an HTML5 game hosted on Facebook.
- Gaming**  
Connect an off-platform game to Facebook Login.
- Workplace**  
Create enterprise tools for Workplace from Meta.

Specify the App's name, your contact email, and a Business Manager Account if you already have one (it's optional).



### Create an app

Cancel

☒ Type  
☒ Details

#### Add an app name

This is the app name that will show on your My Apps page and associated with your app ID. You can change the name later in Settings.

0/30

#### App contact email

This is the email address we'll use to contact you about your app. Make sure it is an address you check regularly. We may contact you about policies, app restrictions or recovery if your app is deleted or compromised.

#### Business Account - Optional


Connecting a Business Account to your app is only required for certain products and permissions. You'll be asked to connect a Business Account when you request access to those products and permissions.

No Business Manager account selected


By proceeding, you agree to the [Meta Platform Terms](#) and [Developer Policies](#).

Previous Create app

Click the **'Set Up'** button at the *Facebook Login product card* to proceed.



Then navigate to **Settings** → **Basic** on the left menu and fill in the corresponding fields.



The **App ID** and **App Secret** will be generated automatically. Fill in the **App Domains** field and choose your app **Category**.

Please make sure that you configure the field '**User Data Deletion**'.

According to Facebook: Apps that access user data must provide a way for users to request that their

data be deleted. Your app can satisfy this requirement by providing either a data deletion request callback or instructions to inform people how to delete their data from your app or website.

Facebook offers two ways to configure this field:


- to specify the Data Deletion Callback URL or
- to specify the Data Deletion Instructions URL.

In order to follow Facebook's Data Protection guidelines by means of the Social Login extension by Amasty please select the '**Data Deletion Instructions URL**'.

To get this URL, **please create a separate CMS page** for your customers where you describe the process of how they can delete or request the deletion of their data from your website.

We recommend describing the following info on your Data Protection CMS page:

1. how to unlink a social account from Customer Account ('*Customer Account* → *My Social Accounts*');
2. add the instructions on how to contact your admin for further Data Deletion process.



Alternatively, if you have our **GDPR extension** for Magento 2 installed it allows customers to delete all info by themselves. Then just add some steps on how to delete data using our GDPR module functionality.

Staying on the section '**Settings** → **Basic**' scroll down to click on the **Add Platform** button to choose the platform for your social apps.

Dashboard

Settings

Basic

Advanced

Roles

Alerts

App Review

Products

Facebook Login

Settings

Quickstart

Activity Log

Address

Street Address

Apt/Suite/Other (Optional)

City/District

State/Province/Region

ZIP/Postal Code

Country

United States

+ Add Platform

Discard

Save changes

After clicking on the **Add Platform** button you'll see the grid with various platform types. Please select **Website**.

Select Platform

Website

Page Tab

iOS

Xbox

Android  
12 app stores available

PlayStation

Windows App

Cancel


Next

+ Add Platform

Discard


Save changes

In case you're picking up a platform via the Quickstart settings it will look like the following:



After specifying the platform type, insert your website URL here and click on the **Save Changes** button.

Enable the **Client OAuth Login** and fill in the **Valid OAuth redirect URIs** on the **Facebook Login** → **Settings** tab.



**Facebook Login**

**Settings**

Quickstart

**Client OAuth Settings**

**Client OAuth Login**  
Enables the standard OAuth client token flow. Secure your application and prevent abuse by locking down which token redirect URIs are allowed with the options below. Disable globally if not used. [?]

**Web OAuth Login**  
Enables web-based Client OAuth Login. [?]

**Enforce HTTP**  
Enforce the use of HTTPS and the JavaScript SDK is recommended.

**Force Web OAuth Reauthentication**  
When on, prompts people to enter their Facebook password in order to log in on the web. [?]

**Embedded Browser OAuth Login**  
Enable webview OAuth Login. [?]


**Use Strict Mode for Redirect URIs**  
Only allow redirects that use the Facebook SDK or that exactly match the Valid OAuth Redirect URIs. Strict Mode is recommended. [?]

**Valid OAuth Redirect URIs**

example.com/amsociallogin/social/callback/?hauth\_done=Facebook ✕

**Login from Devices**  
Enables the OAuth client login flow for devices like a smart TV [?]

Specify the URL of your website in the **Allowed Domains for the JavaScript SDK**.



☐ **No** **Login from Devices**  
Enables the OAuth client login flow for devices like a smart TV [?]

☐ **No** **Login with the JavaScript SDK**  
Enables Login and signed-in with the JavaScript SDK. [?]

**Allowed Domains for the JavaScript SDK**  
Login and signed-in functionality of the JavaScript SDK will only be available on these domains. [?]

---

**Deauthorize**


**Deauthorize callback URL**

---

**Login Connect with Messenger**

This gives people a way to opt into receiving messages from you in Messenger as part of their Login experience. To show a Messenger permission dialog within Login, you'll need to enable at least one Page.

To apply the configuration, change the **Status** from **In development** to **Live**.



Docs Tools Support My Apps

App Type: Consumer App Mode: Development ☒ Live

App ID

App Secret

Display Name

Namespace

Insert your **Consumer Key (API Key)** (matches with App ID from the Facebook Dev account) and **Consumer Secret (API Secret)** (matches with App Secret from the Facebook Dev account) in General extension settings and **Save** the configuration.

## Import customers' date of birth and gender from Facebook

You can import users' date of birth and gender from Facebook. With the date of birth, you can

automatically verify customers' age.

To make that feature work, first, go to the **Stores → Customers → Customer Configuration → Name and Address Options** and enable corresponding **Show Date of Birth** and **Gender** switches.

## Name and Address Options



|                                                                 |                                                                                                                               |                                                      |
|-----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Number of Lines in a Street Address<br><small>[website]</small> | <input type="text" value="2"/>                                                                                                | <input checked="" type="checkbox"/> Use system value |
|                                                                 | Valid range: 1-4                                                                                                              |                                                      |
| Show Prefix<br><small>[website]</small>                         | <input type="text" value="No"/>                                                                                               |                                                      |
|                                                                 | The title that goes before name (Mr., Mrs., etc.)                                                                             |                                                      |
| Prefix Dropdown Options<br><small>[website]</small>             | <input type="text"/>                                                                                                          |                                                      |
|                                                                 | Semicolon (;) separated values.<br>Put semicolon in the beginning for empty first option.<br>Leave empty for open text field. |                                                      |
| Show Middle Name (initial)<br><small>[website]</small>          | <input type="text" value="No"/>                                                                                               |                                                      |
|                                                                 | Always optional.                                                                                                              |                                                      |
| Show Suffix<br><small>[website]</small>                         | <input type="text" value="No"/>                                                                                               |                                                      |
|                                                                 | The suffix that goes after name (Jr., Sr., etc.)                                                                              |                                                      |
| Suffix Dropdown Options<br><small>[website]</small>             | <input type="text"/>                                                                                                          |                                                      |
|                                                                 | Semicolon (;) separated values.<br>Put semicolon in the beginning for empty first option.<br>Leave empty for open text field. |                                                      |
| Show Date of Birth<br><small>[website]</small>                  | <input type="text" value="Required"/>                                                                                         |                                                      |
|                                                                 | No<br>Optional<br>Required                                                                                                    |                                                      |
| Show Gender<br><small>[website]</small>                         | <input type="text" value="Optional"/>                                                                                         |                                                      |
| Show Telephone<br><small>[website]</small>                      | <input type="text" value="Required"/>                                                                                         |                                                      |
| Show Company<br><small>[website]</small>                        | <input type="text" value="Optional"/>                                                                                         |                                                      |
| Show Fax<br><small>[website]</small>                            | <input type="text" value="No"/>                                                                                               |                                                      |

After that, go to the Facebook Developers application dashboard, which you created before. Click on the **App Review → Permissions and Features**

**user\_birthday**  
The user\_birthday permission allows your app to read a person's birthday as listed in their Facebook profile.

**user\_videos**  
The user\_videos permission allows your app to read a list of videos uploaded by a person.

**user\_gender**  
The user\_gender permission allows your app to read a person's gender as listed in their Facebook profile.

On this tab, search for the **user\_gender** and **user\_birthday** permissions. Then submit the request for approval, according to the Facebook requirements.

For the correct extension work, the **public\_profile** permission access should be set to advanced, because it allows apps to read the Default Public Profile Fields on the User node. This permission is automatically granted to all apps.

## Permissions and Features

Filter access levels ▼ Search permissions and features

| Permissions and features ↑↓                                                                                                                                                                 | Access level ⓘ ↓ | API calls ⓘ ↑↓ | Status ↑↓    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------|--------------|
| <b>email</b><br>The email permission allows your app to read a person's primary email address.<br>ⓘ Full description ⓘ Requirements                                                         | Advanced access  | Active (21)    | Auto granted |
| <b>public_profile</b><br>Allows apps to read the Default Public Profile Fields on the User node. This permission is automatically granted to all apps.<br>ⓘ Full description ⓘ Requirements | Advanced access  | Active (17)    | Auto granted |

All successfully approved requests will be displayed at the **App Review → My Permissions** tab, where you can easily manage them.

You can see all imported data on the **All Customers** grid, which you can find at the backend via going to the **Customers → All Customers**. Also, it will be displayed at each customer's account page.

## Facebooks' Annual Data Use Checkup


In 2020, Facebook [introduced Data Use Checkup](#) to safeguard data and respect people's privacy when using the Facebook platform and tools.

As Facebook explains, "Through Data Use Checkup, developers will be asked to review the permissions they have access to and commit that their API access and data use comply with the Facebook Platform Terms and Developer Policies within 60 days or risk losing their API access."

For you, as a user of Social Login for Magento 2 extension, it means that **once a year** you'll be asked to confirm that all Facebook-related APIs that you use as part of Social Login authorization options are complying with Facebook Platform Terms and Developer Policies.

The **once a year** checkup is flexible. This means, that the exact checkup deadline is linked to the day when you created the API connection in the Facebook Developers account. So if you created several connections at various dates, the checkup deadline for them will also differ.

Facebook triggers a special reminder in the Facebook Developers account. This is an example of how the notification might look. Please remember that the dates might differ based on the API creation date.



Simply click on the **Get Started** button to proceed with the checkup.

Here's an example of how the checkup looked in December 2020 for our Facebook API that we used for our Facebook Social Login on demo-store.

First, go to the **My Apps** section.

## Apps

Filter by

☐ All Apps (41)

☒ Data Use Checkup (8)

Search by App Name or App ID

Create App

Admin Apps

Select All

Start Checkup

Data Use Checkup

Due in 11d

Administrator

4

Amasty Demo

Mode: Live

Data Use Checkup

Complete

Administrator

19

Amasty Social Login M2 Demo

Mode: Live

Data Use Checkup

Complete

Administrator

Data Use Checkup

Due in 11d

Administrator

15

Example Shop Login Page

Mode: Live

Data Use Checkup

Complete

Administrator

1

Then, proceed by reading Facebook requirements and proving that you comply with them.

### Certify Data Use

To certify, click the box next to each permission or feature before continuing.

#### email

2 API calls in last 30 days

The email permission allows your app to read a person's primary email address. The allowed usage for this permission is to let end users log into your app with the email address associated with their Facebook profile. This permission is automatically granted to all apps. You may also use this permission to request analytics insights to improve your app and for marketing or advertising purposes, through the use of aggregated and de-identified or anonymized information (provided such data cannot be re-identified).

☒ I certify that any use of **email** is in compliance with the allowed usage.

#### public\_profile

No API calls in last 30 days

The public\_profile (i.e. Default Public Profile Fields) permission allows your app to read public User fields, such as a user's name and profile picture. The allowed usage for this permission is to authenticate app users and provide them with a personalized in-app experience. This permission is automatically granted to all apps. You may also use this permission to request analytics insights to improve your app and for marketing or advertising purposes, through the use of aggregated and de-identified or anonymized information (provided such data cannot be re-identified).

☒ I certify that any use of **public\_profile** is in compliance with the allowed usage.

Continue

amasty

Data Use Certified

Certify Compliance with Platform Terms and Developer Policies

Summary of Key Sections in Facebook Platform Terms

Here's a quick summary of some key restrictions and requirements that may apply:

- Prohibited uses and processing of Platform Data (Section 3.a)**  
Restrictions on processing of Platform Data, including restrictions against selling, licensing or purchasing Platform Data, as well as processing it to discriminate against people, make eligibility determinations or for surveillance purposes.
- Restricted Platform Data (Section 3.b)**  
Restrictions on requesting Restricted Platform Data, except as necessary to meaningfully improve user experience in the specific product or service for which someone shared their data.
- Sharing Platform Data (Section 3.c)**  
Restrictions on sharing Platform Data with third parties.
- Retention, deletion and accessibility of Platform Data (Section 3.d)**  
Requirements on when Platform Data must be deleted.
- Providing, maintaining and complying with your Privacy Policy (Section 4)**  
Requirements for the content and accessibility of, and your compliance with, your Privacy Policy.

☒ I certify compliance with the [Facebook Platform Terms](#) and [Developer Policies](#), together with all other applicable terms and policies.

Continue

Lastly, click *Submit*.

Your app is approved for the following permissions, features and products. Please examine the allowed usage for each and certify you're in compliance. Before submitting, you'll also need to certify your compliance with the Facebook Platform Terms and Developer Policies, together with all other applicable terms and policies. [Learn More](#)

For each app owned or operated by a business or entity, you understand and agree that you are certifying on behalf of that business or entity, and you represent and warrant that you have all necessary authority to do so.

Data Use Certified

Terms and Policies Compliance Certified

Submit

## Twitter

**Enabled** - Set to Yes to enable the display of the **Twitter** login button.

## Twitter

Enabled

[store view]

Yes

▼

See how to configure app [here](#).

Copy/paste API codes from application settings of corresponding social networks.

Consumer Key (API Key)

[store view]

Consumer Secret (API Secret)

[store view]

Valid Callback URL

[store view]

For using in twitter app

Sort Order

[store view]

3

To create a Twitter App, go to <https://apps.twitter.com/>.

Click on the **Add App** button to create a new Twitter app.

**Developer Portal**

Dashboard

**Projects & Apps**

**Overview**

Demo

STANDALONE APPS

rowdertt

Social Login by Amasty

Social login Leo

Test Social Login Am

ShopYana

PWA Inkin

Products **NEW**

Account

## Overview

**Free**

[Demo >](#)

**+ Add App**

LIMITED V1.1 ACCESS ONLY V2 ACCESS

## Standalone Apps

LIMITED V1.1 ACCESS ONLY

Standalone Apps live outside of Projects. This means that they can't use the the most current v2 Twitter API endpoints.

STANDALONE APPS

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

Specify your **App name** here, and click the button 'Next'.

# Name your App

- 1App name
- 2Keys & Tokens

Apps are where you get your access **keys & tokens**, plus set permissions. You can find them within your Projects.

Social Login by Amasty

10

Back

Next

Copy the generated API key from the field to use it on the Magento backend for the corresponding field.



## Here are your keys & tokens

1 App name 2 **Keys & Tokens**

For security, this will be the last time we'll display these. If something happens, you can always regenerate them. [Learn more](#)

### API Key

Copy 

[Go to dashboard](#)[App settings](#)

Hit the button 'App settings' and give a detailed description for the application.

# Social Login extension by Amasty

[Settings](#)[Keys and tokens](#)

## App details

[Edit](#)

NAME

Social Login extension by Amasty

APP ICON



APP ID

27880120

DESCRIPTION

This information will be visible to people who've authorized your App

This app was created to use the Twitter API.

## User authentication settings

User authentication set up 

Authentication allows users to log in to your App with Twitter. It also allows your App to make specific requests for authenticated users.

[Edit](#)[Authe](#)[v2 enc](#)  
[OAuth](#)

Scroll down to User authentication settings and click 'Edit'. Specify the necessary permissions, enable request email from users if necessary. Also, here you can specify the Type of App.

Social Login extension by Amasty

## User authentication settings

You can change these selections anytime.

### App permissions (required)

These permissions enable OAuth 1.0a Authentication. ⓘ

- ☒ **Read**  
Read Posts and profile information
- ☐ **Read and write**  
Read and Post Posts and profile information
- ☐ **Read and write and Direct message**  
Read Posts and profile information, read and post Direct messages
- ☐ **Request email from users**  
To request email from users, you are required to provide URLs to your App's privacy policy and terms of service.

### Type of App (required)

The type of App enables OAuth 2.0 Authentication. ⓘ

- ☒ **Native App** ⓘ  
Public client ⓘ
- ☐ **Web App, Automated App or Bot** ⓘ  
Confidential client ⓘ

Scroll down to App Info. Please add the data into the **Callback / Redirect URLs** and the **Website URL** fields (required). You can also fill in optional fields like Organization name, Organization URL, Terms of service and Privacy policy. Please note, that Terms of service and Privacy policy are required if you enable Request email from users. Don't forget to Save the changes.

## App info

Callback URI / Redirect URL (required) ⓘ

https://b2b-suite-pro-m2.magento-demo.amasty.com/amsociallogin/si ×

https://social-login-hyva-m2.magento-demo.amasty.com/amsociallogir ×

https://b2b-suite-premium-m2.magento-demo.amasty.com/amsociallo ×

+ Add another URI / URL

Website URL (required)

https://social-login-hyva-m2.magento-demo.amasty.com/amsociallogin/soc

Organization name (optional)

This name will be shown when users authorize your App

Amasty

Organization URL (optional)

This link will be shown when users authorize your App

https://amasty.com/

Terms of service (optional)

A link to your terms of service will be shown when users authorize your App.

https://amasty.com/terms-of-service.html

Privacy policy (optional)

A link to your privacy policy will be shown when users authorize your App.

https://amasty.com/privacy-policy.html

Cancel

Save

Go to the **Keys and tokens** tab, here you can regenerate and copy the API key and the API secret key if necessary.

## Social Login extension by Amasty

Settings

Keys and tokens

### Consumer Keys

API Key and Secret ⓘ

 [Reveal API Key hint](#)

Regenerate

### Authentication Tokens

Bearer Token ⓘ

Generated October 6, 2023

Revoke

Regenerate

Access Token and Secret

ⓘ

Generated October 6, 2023

For @AllaS15536

Created with [Read Only](#) permissions

Regenerate

Revoke



#### Helpful docs

[About Projects](#)[About Apps](#)[About authentication](#)[App permissions](#)[Authentication best practices](#)[API Key](#)[Bearer Tokens](#)[Access Token and Secret](#)

Insert the API key and Secret, obtained from the **Keys and tokens** tab, to the fields in the Magento backend. Save configuration changes.

## Instagram

## Instagram

**Enabled**  
[store view] Yes

See how to configure app [here](#).

[store view] Copy/paste API codes from application settings of corresponding social networks.

**Consumer Key (API Key)**  
[store view]

**Consumer Secret (API Secret)**  
[store view]

**Sort Order**  
[store view] 20

**Enabled** - Set to **Yes** to enable the display of the Instagram login button.

To configure the connection to Instagram, first, you have to adjust an app in your Facebook Developer account. Then, adjust the necessary settings for the Instagram app itself. The user manual will guide you through both steps.

To configure the Instagram social login connection, you have to get a [Facebook Developer account](#).

First, go to **My Apps → Create App** via Facebook for the developers' navigation panel.


FACEBOOK for Developers


Products Programs Docs More **My Apps** 

## Messenger API for Instagram


Integrating with existing tools and data, the Messenger API for Instagram makes managing high volumes of customer messages easier—helping to turn conversations into business outcomes.

→ Explore Instagram Messaging Solutions





Choose the 'Consumer' app type from the list and click 'Next'.



Fill in the details about the App. Specify the App's name, your contact email, and a Business Manager Account if you already have one (it's optional).

✓ Type

Details

### Add details

**Display name**  
This is the app name associated with your app ID.

**App Contact Email**  
This email address is used to contact you about potential policy violations, app restrictions or steps to recover the app if it's been deleted or compromised.

**Business Manager account - Optional**  
In order to access certain aspects of the Facebook platform, apps may need to be connected to a verified Business Manager account.

No Business Manager Account selected

By proceeding, you agree to the [Facebook Platform Terms](#) and [Developer Policies](#).

Previous **Create App**

Click the '**Set Up**' button at the '**Instagram Basic Display**' product card to proceed.

FACEBOOK for Developers

Docs Tools Support My Apps

Search developer documentation

Help

Social Login by Amasty

App ID:

App Type: Consumer

App Mode: Development Live

Help

Dashboard

Settings

Roles

Alerts

App Review

Products

Add Product

### Add Products to Your App

We've streamlined the app creation process by surfacing the products and permissions needed to build the app type you selected.



#### App Events

Understand how people engage with your business across apps, devices, platforms and websites.

Read Docs Set Up



#### Audience Network

Monetize your app and grow revenue with ads from Facebook advertisers.

Read Docs Set Up



#### Facebook Login

The world's number one social login product.

Read Docs Set Up



#### Instagram Basic Display

The Instagram Basic Display API allows users of your app to get basic profile information, photos, and videos in their Instagram accounts.

Read Docs Set Up



#### Webhooks

Subscribe to changes and receive updates in real time without calling the API.

Read Docs Set Up



#### Fundraisers

Create and manage fundraisers for charities.

Read Docs Set Up

Then navigate to '**Settings → Basic**' on the left menu and fill in corresponding fields.



The screenshot shows the 'Basic' configuration tab for a social login app. The left sidebar contains navigation links: Dashboard, Settings (expanded), Basic (selected), Advanced, Roles, Alerts, App Review, Products (with an 'Add Product' link), Instagram Basic Display, Activity Log, and Activity Log (with a menu icon). The main content area includes fields for App ID, App Secret (with a 'Show' button), Display Name (set to 'Social Login by Amasty'), Namespace, App Domains, Privacy Policy URL (set to 'https://amasty.com/privacy-policy.html'), Contact Email (set to 'example.businesssss@gmail.com'), Terms of Service URL (set to 'Terms of Service for Login dialog and App Details'), User Data Deletion (with a dropdown for 'Data Deletion Instructions URL' and a value of 'https://amasty.com/data-processing-consent.html'), App Icon (1024 x 1024), App Purpose (with a description and radio buttons for 'Yourself or your own business' and 'Clients'), and a Category dropdown set to 'Shopping'.

Staying on the section '**Settings → Basic**' scroll down to click on the '**Add Platform**' button to choose the platform for your social apps.

The screenshot shows the 'Facebook Login' configuration tab. The left sidebar is similar to the previous one, but with 'Facebook Login' selected under the 'Settings' section. The main content area includes an 'Address' section with fields for Street Address, Apt/Suite/Other (Optional), City/District, State/Province/Region, ZIP/Postal Code, and Country (set to 'United States'). At the bottom, there is a '+ Add Platform' button, which is highlighted with a red arrow. Below this button are 'Discard' and 'Save changes' buttons.

After clicking on the '**Add Platform**' button you'll see the grid with various platform types. Please select **Website**.

Dashboard

Settings

Basic

Advanced

Roles

Alerts

App Review

Products [Add Product](#)

Instagram Basic Display

Activity Log

Activity Log

Name (optional)

Select Platform

Website ☒

Page Tab ☐

iOS ☐

Xbox ☐

Android ☐  
12 app stores available

PlayStation ☐

Windows App ☐

Cancel Next

Country

United States

After specifying the platform type, insert your **website URL** here and click on the Save Changes button.

Dashboard

Settings

Basic

Advanced

Roles

Alerts

App Review

Products [Add Product](#)

Instagram Basic Display

Activity Log

Activity Log

Street Address

Apt/Suite/Other (Optional)

City/District

State/Province/Region

ZIP/Postal Code

Country

United States

Website

Site URL

https://social-login-pwa-m2.magento-demo.amasty.com/

Quick Start

Then navigate to the tab '**Instagram Basic Display → Basic Display**' and click '*Create new app*'. Then copy the API secret key and the App ID to paste it to the corresponding fields of the Magento admin panel.

Meta for Developers

Docs Tools Support My Apps Search developer documentation

Social Login by Amasty App ID: 1017216525735450 App type: Consumer App Mode: Development Live

Dashboard Settings Roles Alerts App Review Products Add Product

Instagram Basic Display Basic Display Basic display rate limiting Activity Log

Instagram App ID Instagram App Secret Show

Instagram Display Name Social Login by Amasty

Client OAuth Settings

Valid OAuth Redirect URIs

https://social-login-m2.magento-demo.amasty.com/amsociallogin/social/callback/ X  
https://social-login-m2.magento-demo.amasty.com/amsociallogin/social/login/ X

Deauthorize

Deauthorize callback URL

https://social-login-m2.magento-demo.amasty.com/amsociallogin/social/login/

Data Deletion Requests

Data Deletion Request URL

https://social-login-m2.magento-demo.amasty.com/privacy-policy-cookie-restriction-mode

The Instagram social login will be available for all website visitors only **AFTER** app activation (publishing to **LIVE**). To do that, please click the tumbler 'In development' to change the status to 'Live', as shown in the screenshot below.

FACEBOOK for Developers

Docs Tools Support M

Social Login by Amasty App ID: App Type: Consumer App Mode: Development Live

Dashboard Settings Basic Advanced

App ID App Secret

Display Name Social Login by Amasty Namespace

In development mode, customers will be unable to login to your website using their Instagram account.

Note that, you can test the Instagram API connection with test user accounts.

The Instagram API doesn't return the **email** that is necessary for user registration. Therefore, at first login attempt, the user will be redirected to the 'Create an Account' page.

## LinkedIn

**Enabled** - Set to Yes to enable the display of the **LinkedIn** login button.

### LinkedIn

|                                                                                                                    |                                                                                  |
|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| Enabled<br>[store view]                                                                                            | <input type="text" value="Yes"/>                                                 |
| See how to configure app <a href="#">here</a> .                                                                    |                                                                                  |
| Configure Authentication Via<br>[store view]                                                                       | <input type="text" value="LinkedIn (Deprecated)"/>                               |
| Please note that when changing the authentication method, previously entered connection keys will not be relevant. |                                                                                  |
| [store view]                                                                                                       | Copy/paste API codes from application settings of corresponding social networks. |
| Consumer Key (API Key)<br>[store view]                                                                             | <input type="text" value="774npog88497y1"/>                                      |
| Consumer Secret (API Secret)<br>[store view]                                                                       | <input type="password" value="....."/>                                           |
| Valid Callback URL (Deprecated)<br>[store view]                                                                    | <input type="text" value="https://social-login-m2.magento-demo.amasty.com"/>     |
| For using in linkedin app                                                                                          |                                                                                  |
| Sort Order<br>[store view]                                                                                         | <input type="text" value="6"/>                                                   |

**Configure Authentication Via** - choose the authentication version you want to use:

- LinkedIn (Deprecated) - this is an old, default version.
- LinkedIn OpenID Connect - recently released version. OpenID Connect (OIDC) is an identity layer built on top of OAuth 2.0, enabling applications to authenticate members and obtain lite profile information about the member. OIDC will simplify the partner integration onboarding experience and eliminate dependencies on making additional API calls to find who the authenticated member is. Keep in mind Sign In with LinkedIn using OpenID Connect does not verify user identities and should not be marketed as such. Explore more about this type of authentication [here](#).

Please note that when **changing the authentication method**, previously entered connection keys will not be relevant. So if you change the authentication method, you should also update the connection keys.

To create LinkedIn App, go to <https://www.linkedin.com/secure/developer>.

Register or log in and then please go to the **My Apps** and click on the **Create app**.

The screenshot displays the LinkedIn Developer 'My apps' interface. At the top, the navigation bar includes 'DEVELOPERS', 'Products', 'Docs and tools', 'Resources', and 'My apps' (highlighted). A dropdown menu for 'My apps' is open, showing 'Recent apps' with 'PWA Social Login M2' and a '+ Create app' button (highlighted with a red box and a red arrow). The main content area is titled 'Products' and shows 'Added products' with two items: 'Share on LinkedIn' and 'Sign In with LinkedIn'. A right sidebar titled 'Managing products' contains 'Additional product requests' information.

Specify your **App name** and **LinkedIn Page** (i.e. your company page on LinkedIn), **Privacy Policy URL** (optional), **App logo** and proceed to the next page.

\* indicates required

#### App name \*

#### LinkedIn Page \*

 This action can't be undone once the app is saved.

**Amasty**

Information Technology &amp; Services; 51-200 employees



The LinkedIn Company Page you select will be associated with your app. Verification can be done by a Page Admin. Please note this cannot be a member profile page.

[Learn more](#)

#### Privacy policy URL

#### App logo \*

This is the logo displayed to users when they authorize with your app



Square image recommended. At least one dimension should be at least 100px.

---

#### Legal agreement

When you develop on our platform, you are agreeing to be bound by our [API Terms of Use](#).



I have read and agree to these terms

On the tab '**Auth**' please specify the **authorized redirect URs** for your app.



## Social Login by Amasty

Client ID:  | Created: Oct 5, 2021

Settings

**Auth**

Products

Analytics

Team members

## Application credentials

## Authentication keys

Client ID:



Client Secret:



## OAuth 2.0 settings

## Token time to live duration

Access token: 2 months (5184000 seconds)

## Authorized redirect URLs for your app

<https://social-login-m2.magento-demo.amasty.com/amsociallogin/social/login/>

Copy the **Client ID** and the **Client Secret** and paste it in **Consumer Key (API Key)** and **Consumer Secret (API Secret)** tabs in the module settings. **Save** the configuration.

Go to **'Products'** tab and make sure that you've selected 'Share on LinkedIn' and 'Sign in with LinkedIn' options.

Settings Auth **Products** Analytics Team members

**Products**

Additional available products



**Marketing Developer Platform**  
Build marketing experiences to reach the right audiences  
[View docs](#) | [View endpoints](#) [Select](#)



**Share on LinkedIn**  
Amplify your content by sharing it on LinkedIn  
[View docs](#) | [View endpoints](#) [Select](#)



**Sign In with LinkedIn**  
Let users easily sign in with their professional identity  
[View docs](#) | [View endpoints](#) [Select](#)

Red arrows and numbered circles (1, 2, 3) indicate the sequence of actions: 1. Click on the 'Products' tab. 2. Click on the 'Select' button for 'Sign In with LinkedIn'. 3. Click on the 'Select' button for 'Share on LinkedIn'.

Then go back to the **'Auth'** tab and make sure that the permissions on the **'OAuth 2.0 scopes'** section look like on the screen below:

OAuth 2.0 scopes

- Scopes define what your app can do on a user's behalf.
- The OAuth consent screen will display descriptions to end users as they are seen below. Some variation may occur if your app has a custom OAuth experience.

**r\_emailaddress**

Use the primary email address associated with your LinkedIn account

**r\_liteprofile**

Use your name and photo

**w\_member\_social**

Create, modify, and delete posts, comments, and reactions on your behalf

## Amazon

**Enabled** - Set to 'Yes' to enable the display of the **Amazon** login button.

Amazon

Enabled

[store view]

Yes

See how to configure app [here](#).

[store view]

Copy/paste API codes from application settings of corresponding social networks.

Consumer Key (API Key)

[store view]

Consumer Secret (API Secret)

[store view]

Valid Callback URL

[store view]

For using in amazon app


Sort Order

[store view]

4

To create Amazon App, please, go to <https://login.amazon.com/website>

Sign in or register and navigate to the '**Login with Amazon Console tab**'. Hit the '**Create a New Security Profile**' button.



**Login with Amazon**

Login with Amazon allows users to login to registered third party websites or apps ('clients') using their Amazon user name and password. Clients may ask the user to share some personal information from their Amazon profile, including name, email address, and zip code. To get started, select an existing Security Profile or create a new Security Profile. [Learn More](#)

**Create a New Security Profile**

**Login with Amazon Configurations**

| Security Profile Name         | OAuth2 Credentials                               | Manage |
|-------------------------------|--------------------------------------------------|--------|
| MFTF Social Login             | <a href="#">Show Client ID and Client Secret</a> |        |
| PWA Social Login M2           | <a href="#">Show Client ID and Client Secret</a> |        |
| Social Login                  | <a href="#">Show Client ID and Client Secret</a> |        |
| socialLogin_for_local_magento | <a href="#">Show Client ID and Client Secret</a> |        |

Fill in the corresponding fields on the 'Security Profile Management' page: the profile name, description, the consent privacy notice URL, and the consent logo image (optional). Click '**Save**' to proceed.

## Security Profile Management

### Name your new Security Profile

Choose a name for this security profile. You can create multiple security profiles. You will associate a security profile with one or more apps. Apps that use the same security profile can share some types of data (for example, a "My App - Free" and a "My App - HD" could share data). For a shared security profile, choose a name that applies to all the apps that will use it (for example, "My App profile"). [Learn More](#)

\* Indicates a required field

|                                                                                      |                                                                                                          |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Security Profile Name *                                                              | <input type="text" value="Social Login by Amasty"/>                                                      |
| Security Profile Description *                                                       | <input type="text" value="Social Login config example"/>                                                 |
| Consent Privacy Notice URL *                                                         | <input type="text" value="https://social-login-m2.magento-demo.amasty.com/amsociallogin/social/login/"/> |
| Consent Logo Image                                                                   |                       |
| <div><input type="button" value="Save"/> <input type="button" value="Cancel"/></div> |                                                                                                          |

After saving the config you'll see the *success notification* (see example on the screenshot below).

Click the '**Settings**' sign to manage Security Profile.

## Login with Amazon

Login with Amazon allows users to login to registered third party websites or apps ('clients') using their Amazon user name and password. Clients may ask the user to share some personal information from their Amazon profile, including name, email address, and zip code. To get started, select an existing Security Profile or create a new Security Profile. [Learn More](#)

Create a New Security Profile

✔ Login with Amazon successfully enabled for Security Profile. Click ⚙️ to manage Security Profile.

### Login with Amazon Configurations

| Security Profile Name  | OAuth2 Credentials                               | Manage |
|------------------------|--------------------------------------------------|--------|
| MFTF Social Login      | <a href="#">Show Client ID and Client Secret</a> | ⚙️     |
| PWA Social Login M2    | <a href="#">Show Client ID and Client Secret</a> | ⚙️     |
| Social Login           | <a href="#">Show Client ID and Client Secret</a> | ⚙️     |
| Social Login by Amasty | <a href="#">Show Client ID and Client Secret</a> | ⚙️     |

Then navigate to the '**Web Settings**' tab to specify the *Allowed Origins (URLs)* and the *Allowed Return URLs*.

The values for **Client ID** and **Client Secret** will be generated automatically. Click the **Show Secret** button to reveal and copy it and paste it in **Consumer Key (API Key)** and **Consumer Secret (API Secret)** tabs in the module settings. **Save** the configuration.



## Social Login by Amasty - Security Profile

General

Web Settings

Android/Kindle Settings

iOS Settings

TVs and Other Devices Settings

To use Login with Amazon with a website, you must specify either an allowed JavaScript origin (for the Implicit grant) or an allowed return URL (for the Authorization Code grant). [Learn More](#)

One or more of the Allowed Origin URLs is invalid. For example, https://example.com/.

Client ID

Client Secret

Show Secret

Allowed Origins ?

https://amasty.com/

https://social-login-m2.magento-demo.an

https://www.yourwebsite.com

[Add Another](#)

Allowed Return URLs ?

https://social-login-m2.magento-demo.an

https://www.yourwebsite.com/signin

[Add Another](#)

Save

Cancel

## Paypal

**Enabled** - Set to Yes to enable the display of the **Paypal** login button.

## Paypal



Enabled [store view] Yes

See how to configure app [here](#).

[store view] Copy/paste API codes from application settings of corresponding social networks.

Consumer Key (API Key) [store view]

Consumer Secret (API Secret) [store view]

Valid Callback URL [store view]

For using in paypal app

Sort Order [store view] 8

To create Paypal App, go to <https://developer.paypal.com/developer>.

Register as a developer and click **Create App** in the **REST API apps**.

The screenshot shows the PayPal Developer Dashboard. The top navigation bar includes 'PayPal Developer Dashboard', a search bar, and links to 'Docs', 'APIs & SDKs', 'Tools', 'Video Library', 'Help', and 'Business Dashboard'. Below this, there are tabs for 'Home', 'Apps & Credentials' (which is active), 'Testing Tools', and 'Event Logs'. On the right, there are toggle switches for 'Sandbox' (checked) and 'Live'. The main content area is titled 'API Credentials' and features a yellow banner that says 'Viewing sandbox API credentials. [View live credentials](#)'. Below the banner, there is a section for 'REST API apps' which contains a table with the following columns: 'App name', 'Client ID', 'Secret', 'Created date', and a settings icon. The table lists two apps, each with a unique Client ID and Secret. A red arrow points from the 'Create App' button in the top right corner of the 'API Credentials' section to the 'REST API apps' table.

Specify **App Name** and your **Sandbox developer account**. Then hit the **Create App** button.



## Create App

App Name

Type:



**Merchant**

Accept payments as a merchant (seller)



**Platform**

Move payments to sellers as a platform (marketplace, crowdfunding, or e-commerce platform)

Sandbox Account:

Sandbox Business Account




Users are redirected to this URL after live transactions.  
Allow up to three hours for the change to take effect

By clicking the button below, you agree to [PayPal Developer Agreement](#) (US accounts only).

**Create App**

To see **Live App Settings** click **Live** button above all the tabs.



The screenshot shows the PayPal Developer Dashboard. At the top, there's a navigation bar with links like 'PayPal Developer Dashboard', 'Search', 'Docs', 'APIs & SDKs', 'Tools', 'Video Library', 'Help', 'Business Dashboard', and a user profile 'Veronica Cos...'. Below this, a secondary navigation bar includes 'Home', 'Apps & Credentials', 'Testing Tools', 'Event Logs', and a 'Sandbox' toggle switch which is currently turned on, with a red arrow pointing to it. A purple banner below the navigation bar states 'You're in sandbox mode.' The main heading is 'Sandbox test accounts'. To the right of this heading are two buttons: 'Create bulk accounts' and 'Create account'. Below the heading, there's a paragraph explaining the use of sandbox accounts and a link to 'Read more about sandbox testing'. Another paragraph mentions linking other sandbox accounts to the developer account. Below this, it says 'Showing 9 sandbox accounts:' followed by a table. The table has columns: 'Account name', 'Type', 'Country', 'Date created', and a settings icon. Two rows of sandbox accounts are visible, both of type 'Business' and from the 'US'.

PayPal Developer Dashboard

Search

Docs APIs & SDKs Tools Video Library Help Business Dashboard Veronica Cos...

Home Apps & Credentials Testing Tools Event Logs

Sandbox Live

You're in sandbox mode.

## Sandbox test accounts

Create bulk accounts Create account


You can use sandbox accounts to test your apps and mimic live transactions. [Read more about sandbox testing](#)

Missing a test account? [Link other sandbox accounts to this developer account.](#) Have your sandbox logins ready.

Showing 9 sandbox accounts:

| <input type="checkbox"/> Account name           | Type     | Country | Date created |  |
|-------------------------------------------------|----------|---------|--------------|--|
| <input type="checkbox"/> [Sandbox Account Name] | Business | US      | [Date]       |  |
| <input type="checkbox"/> [Sandbox Account Name] | Business | US      | [Date]       |  |

Find **Live Return URL** in the **Valid Callback URL** tab on the module general setting page. Copy it and paste here.



The screenshot shows the 'LIVE APP SETTINGS' section. A red arrow points to the 'LIVE APP SETTINGS' header. Below the header, there's a text field for 'Live Return URL' with a description: 'Live Return URL- Users are redirected to this URL after live transactions. Allow up to three hours for the change to take effect. [Hide](#)'. Below the text field, there are two buttons: '+' and '-'. At the bottom, there's a section for 'App feature options' with a checkbox for 'Accept Payments' which is checked, and a link to 'Advanced Options'.

### LIVE APP SETTINGS

Live Return URL- Users are redirected to this URL after live transactions. Allow up to three hours for the change to take effect. [Hide](#)

Live Return URL

+

-

#### App feature options

☒ **Accept Payments** Accept one-time and subscription payments from PayPal members using PayPal processing. [Advanced Options](#)

Approve your app following this guide.

## Features

---

### Accept payments

- ☒ **Advanced Credit and Debit Card Payments**  
PayPal payment buttons plus customized card fields.
- ☒ **Apple Pay**  
Enable customers to pay with Apple Pay in iOS apps and Safari.  
[Manage](#)
- ☒ **Google Pay**  
Let customers pay using their Google accounts.  
[Setup](#)
- ☐ **IC++ with Gross Settlement**  
Set up IC++ pricing for automatic payment of processing fees.
- ☒ **Vault**  
Save your customer's payment methods to speed up checkout.
- ☒ **PayPal and Venmo**  
Save customer PayPal and Venmo payment methods for future transactions.

### Other features

- ☒ **Payouts**  
Send payments to multiple PayPal accounts at once.
- ☒ **Customer disputes**  
View, provide evidence, and appeal disputes.
- ☐ **Log in with PayPal**  
Let customers log in with their PayPal logins.
- ☐ **Transaction search**  
View your PayPal transaction history.

After the successful identification, you will see a tick near **Email address**.



[+ Add another URL](#)

## Information requested from customers

Select scope attributes for OpenID connect (OAuth2) protocol. You are requesting your customers to share this data with you.

### Personal Information

☐ Full Name

☐ Email

### Address

☐ Street Address

☐ City

☐ State

☐ Country

☐ Postal Code

### Account information

The values for **Client ID** and **Client Secret** will be generated automatically.

**PayPal Developer Dashboard** Search [Docs](#) [APIs & SDKs](#) [Tools](#) [Video Library](#) [Help](#)

 [Home](#) [Apps & Credentials](#) [Testing Tools](#) [Event Logs](#)

You're in sandbox mode.

[← Back](#)

## social login

🔔 Viewing sandbox API credentials. [View live credentials.](#)

### API credentials

|              |                                                                                                                                                                                                                                                             |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| App name     | social login                                                                                                                                                               |
| Client ID    |                                                                                         |
| Secret key 1 | .....    |

[+ Add Second Key](#)

Copy the information and fill in **Consumer Key (API Key)** and **Consumer Secret (API Secret)** tabs in the module settings. **Save** the configuration.

Social Login for Magento 2 allows collecting authentic customer data safely as it is equipped with **reCAPTCHA**. Let your admins enable reCAPTCHA in the login/register process and forgot password pages or pop-up to avert spam accounts. Easily customize the type and design of reCAPTCHA from the Magento 2 backend.

## Twitch


**Enabled** - Set to Yes to enable the display of the **Twitch** login button.

## Twitch


|                                                 |                                                                                  |
|-------------------------------------------------|----------------------------------------------------------------------------------|
| Enabled<br>[store view]                         | <input type="text" value="Yes"/>                                                 |
| See how to configure app <a href="#">here</a> . |                                                                                  |
| [store view]                                    | Copy/paste API codes from application settings of corresponding social networks. |
| Consumer Key (API Key)<br>[store view]          | <input type="text"/>                                                             |
| Consumer Secret (API Secret)<br>[store view]    | <input type="text"/>                                                             |
| Valid Callback URL<br>[store view]              | <input type="text"/>                                                             |
| For using in twitch app                         |                                                                                  |
| Sort Order<br>[store view]                      | <input type="text" value="9"/>                                                   |

To create Twitch App, go to <https://dev.twitch.tv/>.

Log in or register and then please navigate to '**Your Console**'.



Now you need to create a new Application. Click '**Register Your Application**'.




The screenshot shows the Twitch Console interface. At the top, there's a navigation bar with links: twitch developers, Products, Showcase, Support, Blog, Docs, and a user profile dropdown for 'Sampleusertest's Console'. The main heading is 'Console'. Below it, there are tabs: Overview (selected), Extensions, and Applications. The 'Overview' section shows 'Extensions' (Total: 1) and 'Applications' (Total: 2). The 'Applications' section has a 'Register Your Application' button highlighted with a red box and a red arrow. Below this, there's a table of applications:

| Name      | URL                         | Date Created | Last Updated |
|-----------|-----------------------------|--------------|--------------|
| Social... | https://social-login-m2.... | 10/05/2021   | 10/05/2021   |
| PWA ...   | https://social-login-pw...  | 07/12/2021   | 07/12/2021   |

Below the table, there's a section for 'Game Developers: Claim your game to a...' with a 'Register Organization' button.

On the tab 'Applications' please specify your app's name, OAuth Redirect URLs, and choose the category.



The screenshot shows the 'Register Your Application' page in the Twitch Console. The 'Applications' tab is selected. The page title is 'Register Your Application'. Below the title, there's a subtitle: 'Register a new application that uses the Twitch API to interact with Twitch'. The form has three main sections:

- Name:** A text input field containing 'Social Login by Amasty'.
- OAuth Redirect URLs:** A text input field containing 'https://social-login-m2.magento-demo.amasty.com/amsociallogin/social/login/'. There are 'Add' and 'Remove' buttons next to it.
- Category:** A dropdown menu with 'Website Integration' selected.

At the bottom, there's a 'Create' button.

On the '**Developer Applications**' grid click on the '**Manage**' button.

**twitch**  
developers

ProductsShowcaseSupportBlogDocs

Sampleusertest's Console

OverviewExtensionsApplications

+ Register Your Application

Copy your **API KEY** (Client ID) and **API Secret** (Client Secret) in the appropriate fields in the backend and save the configuration.

OverviewExtensionsApplications

## Manage Application: Social Login for Magento 2

Modify an application that uses the Twitch API to interact with Twitch

**Name**

Social Login for Magento 2

Application name between 3-100 characters. Displayed to users when authorizing your application.

**OAuth Redirect URLs**

https://social-login-m2.magento-demo.amasty.com/amsociallogin/socia Add Remove

Will receive the result of all client authorizations: either an access token or a failure message. This must exactly match the redirect\_uri parameter passed to the authorization endpoint. When testing locally, you can set this to http://localhost. A maximum of 10 redirect URLs is supported.

**Category**

Website Integration

**Client ID**

Passed to authorization endpoints to identify your application. You cannot change your application's client id.

**Client Secret**

Passed to the token exchange endpoints to obtain a token. You must keep this confidential.

New Secret

Save

## Microsoft Azure (Pro)

### Azure Single Sing-On

**Enabled**  
[store view]

Yes



See how to configure app [here](#).

[store view]

Copy/paste API codes from application settings of corresponding social networks.

**Consumer Key (API Key)**  
[store view]

Afh152223

**Consumer Secret (API Secret)**  
[store view]

.....

**Valid Callback URL**  
[store view]

https://social-login-m2.magento-demo.;

**Sort Order**  
[store view]

10

**Enabled** - Set to Yes to enable the display of the **Microsoft Azure** login button.

To create Azure App, go to <https://portal.azure.com/>.

Log in or register and navigate to **Azure Services**. Then choose **App Registrations**.

## Welcome to Azure!

Don't have a subscription? Check out the following options.




### Start with an Azure free trial

Get \$200 free credit toward Azure products and services, plus 12 months of popular [free services](#).

[Start](#)

### Manage Microsoft Entra ID

Azure Active Directory is becoming Microsoft Entra ID. Secure access for everyone.

[View](#)[Learn more](#)

### Access student benefits

Get free software, Azure credit, or access Azure Dev Tools for Teaching after you verify your academic status.

[Explore](#)[Learn more](#)

## Azure services

[Create a resource](#)[App registrations](#)[Load balancers](#)[App Services](#)[Quickstart Center](#)[Virtual machines](#)[Storage accounts](#)[SQL databases](#)[Azure Cosmos DB](#)[More services](#)

## Resources

[Recent](#)[Favorite](#)

Click 'New Registration'.

The screenshot shows the Microsoft Azure portal interface. At the top, there's a navigation bar with the Microsoft Azure logo and a search bar. Below the navigation bar, the 'App registrations' page is displayed. The page has a header with the title 'App registrations' and a close button. Below the header, there's a toolbar with buttons for 'New registration', 'Refresh', 'Download', 'Preview features', and 'Got feedback?'. A red arrow points to the 'New registration' button. Below the toolbar, there's a search bar with the placeholder text 'Start typing a name or Application ID to filter these results'. At the bottom of the page, there's a message 'There are no applications here.' and a button 'Register an application'.

Fill in all the fields for the app registration.

Microsoft Azure

Search resources, services, and docs (G+)

...

Home > App registrations >

# Register an application

...

×

⚠

This application will not be associated with any directory and will be subject to limitations. You should not create production apps outside of a directory.

\* Name

The user-facing display name for this application (this can be changed later).

New Azure App

✓

Supported account types

Who can use this application or access this API?

☐ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)

☒ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)

☐ Personal Microsoft accounts only

[Help me choose...](#)

Redirect URI (optional)

We'll return the authentication response to this URI after successfully authenticating the user. Providing this now is optional and it can be changed later, but a value is required for most authentication scenarios.

Web


▼

e.g. https://example.com/auth


✓

Upon registration, the App Overview window will appear. Here, you will find the **Application (client) ID**, which is equivalent to the **Consumer Key (API Key)**. You'll need to input this key into the Azure Single Sign-On settings of the Social Login extension.

To obtain the **Consumer Secret (API Secret)**, click on '**Add a certificate or secret**' on the right side of the page.



Then click 'New client secret' to obtain **Consumer Secret (API Secret)** that can be inputed into the Azure Single Sign-On settings of the Social Login extension.



Copy the information and fill in Consumer Key (API Key) and Consumer Secret (API Secret) tabs in the module settings. Save the configuration.

## Pinterest

This functionality is available as part of an active product subscription or support subscription. To

ensure proper operation, please install “*amasty/module-social-login-pinterest*” from composer suggest for **Luma Theme** and “*amasty/module-social-login-hyva*” for **Hyvä Theme**.

## Pinterest

|                                                     |                                                                                  |
|-----------------------------------------------------|----------------------------------------------------------------------------------|
| <b>Enabled</b><br>[store view]                      | Yes                                                                              |
| See how to configure app <a href="#">here</a> .     |                                                                                  |
| [store view]                                        | Copy/paste API codes from application settings of corresponding social networks. |
| <b>Consumer Key (API Key)</b><br>[store view]       | 1496684                                                                          |
| <b>Consumer Secret (API Secret)</b><br>[store view] | .....                                                                            |
| <b>Valid Callback URL</b><br>[store view]           | https://social-login-m2.magento-demo.amasty                                      |
| For using in pinterest app                          |                                                                                  |
| <b>Sort Order</b><br>[store view]                   |                                                                                  |

**Enabled** - Set to Yes to enable the display of the **Pinterest** login button.

To create Pinterest App, go to <https://developers.pinterest.com/>.

Log in or register and navigate to **My Apps**. Then choose **Connect App**.

Follow [this checklist](#) to create a Pinterest app, and [this guide](#) to build a working authentication.

When the app is created, go to **My Apps**, choose the needed App, and click 'Manage' button:

**Introducing the Pinterest SDK**

The Pinterest SDK currently offers a Python library that supports campaign management and simplifies authentication and error handling.

[Learn more](#)

## My apps

[Connect app](#)

You can connect up to 5 apps. You can have one open request to connect and one upgrade request at a time.

**Amasty Social Login**

App id: 1496684

✔ Trial access active

[Upgrade](#)[Manage](#)

## Access tiers

See what's possible with access tiers

In the 'Redirect link' field insert the value from the 'Valid Callback URL' setting of the Social Login extension general settings (Pinterest section).

## Redirect URIs

Once your app has been authorized, the user will be sent to this URI. Redirect URIs must use https, an app-specific scheme, or http with localhost.

Redirect link

<https://social-login-m2.magento-demo.amasty.com/amsociallogin/social/login/...>

[Add](#)

Add redirect link via comma, space, semicolon or by hitting "Enter" or "Add"

Copy the App ID and the App Secret Key and paste it in Consumer Key (API Key) and Consumer Secret (API Secret) tabs in the module settings. Save the configuration.

[← My apps](#)

## Amasty Social Login

[Configure](#)[Collaborators](#)[Details](#)

### API keys

Your app ID and secret key are unique strings that identify your application. This key should be a secret that only the client and server know. Treat this as a password.

[Reset app secret](#)**App id****App secret key**

.....



### Generate Access Tokens

Use this token to test and explore our v5 API.

- Copy this token **immediately**, before you leave your browser
- Treat this token as a password
- Provides limited access to 3 scopes (pins:read, boards:read and user\_accounts:read)


Select Environment

☒ Production Limited☐ Sandbox[Generate token](#)


Please note, that since Pinterest doesn't provide the customer's email to the store, **new visitors will be redirected to the standard registration page** on their first visit. After completing this registration, in subsequent visits, the immediate login through Pinterest becomes available.

This is an example of how the Pinterest sign-in process may appear for customers on the storefront.


A customer clicks Sign in in the Header.



Then they click the Pinterest button in the Login popup.



Then a customer should click 'Give access' in the appearing window.



If it's a previously registered customer, they will be instantly logged into your store. If it's a new customer, they will be redirected to the registration page.

[What's New](#)[Women ▾](#)[Men ▾](#)[Gear ▾](#)[Training ▾](#)[Sale](#)[Gift Cards](#)

# Create New Customer Account



Please create a new customer account to link with your Pinterest account.

Login with Your Social Profile



## Personal Information

First Name \*

Last Name \*

After the registration is complete, the customer is registered in your store and they can find their linked Pinterest account in their Account settings.

## Analytics Dashboard

To have a better understanding of your customer base with intuitive UI, chart and table, go to **Customers → All customers** and expand the Social Login Analytics tab.

Customers

demouser

Add New Customer

Social Login Analytics

Search by keyword

Filters

Default View

Columns

Export

Actions


8 records found

20 per page

1 of 1


|                          | ID ↓ | Name              | Email                      | Group   | Phone          | ZIP        | Country       | State/Province | Customer Since          | Web Site     |
|--------------------------|------|-------------------|----------------------------|---------|----------------|------------|---------------|----------------|-------------------------|--------------|
| <input type="checkbox"/> | 1    | Veronica Costello | roni_cost@example.com      | General | (555) 229-3326 | 49628-7978 | United States | Michigan       | Mar 11, 2018 4:24:23 PM | Main Website |
| <input type="checkbox"/> | 5    | Diana Arhipenko   | diana.arhipenko@amasty.com | General |                |            |               |                | Oct 17, 2019 7:36:38 AM | Main Website |

Easily analyze data while monitoring the number of customers, purchased items and revenue by social login.



Use a handy **Social Login Chart** to better target strategy through audience segmentation.

Social Login Chart



Monitor all your customers in one place and track them by the following data: name. email, login type, phone, zip, country, state/province and registration date.

Search by keyword

Filters

Default View

Columns

Export

Actions

3 records found

20 per page

1 of 1

|                          | ID ↓ | Name              | Email                     | Group   | Login type     | Phone          | ZIP        | Country       | State/Province | Customer Since          | Web Site     |
|--------------------------|------|-------------------|---------------------------|---------|----------------|----------------|------------|---------------|----------------|-------------------------|--------------|
| <input type="checkbox"/> | 1    | Veronica Costello | roni_cost@example.com     | General |                | (555) 229-3326 | 49628-7978 | United States | Michigan       | Mar 11, 2018 4:24:23 PM | Main Website |
| <input type="checkbox"/> | 2    | Alexey Motorny    | alexey.motorny@amasty.com | General | Facebook       |                |            |               |                | Nov 27, 2018 2:29:30 PM | Main Website |
| <input type="checkbox"/> | 3    | Alexey Motorny    | motorlesha@gmail.com      | General | Google,Twitter |                |            |               |                | Nov 27, 2018 2:37:24 PM | Main Website |

You can easily find any customer in one click by filling in a keyword in the **Search** tab.

Veronica Costello

Filters

Default View

Columns

Export

Active filters: Keyword: Veronica Costello

Clear all

Actions1 records found20 per page1 of 1

|                          | ID ↓ | Name              | Email                 | Group   | Login type | Phone          | Country       | State/Province | Customer Since          | Confirmed email           | Account Created in | Date of Birth | Action               |
|--------------------------|------|-------------------|-----------------------|---------|------------|----------------|---------------|----------------|-------------------------|---------------------------|--------------------|---------------|----------------------|
| <input type="checkbox"/> | 1    | Veronica Costello | roni_cost@example.com | General |            | (555) 229-3326 | United States | Michigan       | Mar 11, 2018 4:24:23 PM | Confirmation Not Required | Default Store View | Dec 15, 1973  | <a href="#">Edit</a> |

You can perform mass actions right in the grid. Tick needed customers and then choose the **Action** from the dropdown menu to apply:

- Delete
- Edit
- Subscribe to Newsletter
- Unsubscribe from Newsletter
- Assign a Customer Group.

The extension allows downloading the list of your customers with detailed data. Just click the **Export** and get the file.

You can also **Add New Customer** right from the admin panel.

Customersdemouser

Add New Customer

Social Login Analytics

Top Social Login

|   |  |              |          |                    |                |
|---|--|--------------|----------|--------------------|----------------|
| 1 |  | Google 36%   | Users: 4 | Purchased Items: 0 | Amount: \$0.00 |
| 2 |  | Paypal 18%   | Users: 2 | Purchased Items: 0 | Amount: \$0.00 |
| 3 |  | Pinterest 9% | Users: 1 | Purchased Items: 0 | Amount: \$0.00 |

Hit the **Add New Customer** button and specify the account information.

Account Information

Associate to Website \*

Main Website

?

Group \*

General

☐ Disable Automatic Group Change Based on VAT ID

Name Prefix

First Name \*

Veronica

Middle Name/Initial

Last Name \*

Costello

Name Suffix

Email \*

roni\_cost@example.com

Date of Birth

02/17/1987

Tax/VAT Number

546567

Gender

Female

Send Welcome Email From

Default Store View

Please specify a **customer name** and **email**, then associate it with the **website** and **customer group** to **send welcome email form**.

To add the address, expand the **Addresses** tab.

Here you can specify default **billing** or **shipping addresses** for a related customer.

## Addresses

**Veronica Costello**  
6146 Honey Bluff Parkway  
Calder, Michigan, 49628-7978  
United States  
T: (555) 229-3326

☐ Default Billing Address  
☐ Default Shipping Address

Add New Addresses

Name Prefix

\* First Name

Veronica

Middle Name/Initial

\* Last Name

Costello

Name Suffix

Company

\* Street Address

6146 Honey Bluff Parkway

\* City

Calder

\* Country

United States

\* State/Province

Michigan

After adding necessary information hit the **Save Customer** button.

## Social Login networks on the Orders grid

Additionally, on the Orders grid, you can track what social login options were used by the paying customers who actually created orders. All info will be displayed on the **Login Network type** column.

Orders

admin

Create New Order

Search by keyword

Filters

Default View

Columns

Export

Actions

9 records found

20 per page

1 of 1

|                          | ID        | Purchase Point                                              | Purchase Date              | Bill-to Name | Ship-to Name | Grand Total (Base) | Grand Total (Purchased) | Status  | Action               | Login Network Type |
|--------------------------|-----------|-------------------------------------------------------------|----------------------------|--------------|--------------|--------------------|-------------------------|---------|----------------------|--------------------|
| <input type="checkbox"/> | 000000007 | Main Website<br>Main Website Store<br>Default Store<br>View | Mar 21, 2022<br>9:28:25 AM | John Doe     | John Doe     | \$63.00            | \$63.00                 | Pending | <a href="#">View</a> | TwitchTV           |
| <input type="checkbox"/> | 000000009 | Main Website<br>Main Website Store<br>Default Store<br>View | Mar 21, 2022<br>9:32:18 AM | John Doe     | John Doe     | \$57.00            | \$57.00                 | Pending | <a href="#">View</a> | LinkedIn           |
| <input type="checkbox"/> | 000000008 | Main Website<br>Main Website Store<br>Default Store<br>View | Mar 21, 2022<br>9:30:46 AM | John Doe     | John Doe     | \$52.00            | \$52.00                 | Pending | <a href="#">View</a> | Amazon             |

## Ajax Pop-Up

Comfort your customers with an accessible AJAX pop-up that offers one-click login and registration. Set the Social Login bar position: below, above and in the header of any page. Use color and style configuration to match your brand style.

LoginRegister

Email

Password

Forgot Your Password?

Sign In

OR

Login with Your Social Profile


f

t

in

Show More


Keep customers from abandoning the checkout with handy password restore pop-up. It appears when a customer clicks on the “Forget Your Password” text button on the login pop-up. No more redirecting - the customer will remain on the same page during the whole password restoring process.



## Social Buttons Design

Customize social buttons design to fit your original style. Choose the buttons' shape according to your preferences:

- Round for all buttons used;
- Rectangular for 2 or fewer buttons used;
- Square for 3 and more buttons enabled.



Increase the number of completed orders with **Amasty Abandoned Cart Emails** extension. We improved the compatibility of the Social Login extension with our **Advanced Product Reviews** extension. Now the not logged-in customer's process of writing a review is more optimized. In case the login popup is enabled and guests are not allowed to leave reviews, the **Write a Review** button is anyway displayed for guest visitors but it calls forth the social login popup. After the successful login, the customer is directed right to the review form.

## Apple ID (Add-On)

With this extension, you can enable log-in via Apple ID on your website.

The feature can be enabled only after purchasing a **Login with Apple ID for Social Login Add-On**. Now the add-on is available in **Pro version of the Social Login** for Magento 2 extension.

### Configuration

To configure the extension, it is required to have an Apple Developer account. If you don't have it, please go to the [Apple Developer](#) page to create one. Note that account creation and its approval might take some time.

To configure the module, navigate to the **Apple ID** section of Social Login.

## Apple ID

**Enabled**

[store view]

Yes

See how to configure app [here](#).

Copy/paste API codes from application settings of corresponding social networks.

**Apple Team ID**

[store view]

**Client ID**

[store view]

**Key ID**

[store view]

**Key(\*.p8 file)**

[store view]

Choose File

no file selected

**Valid Redirect URI**

[store view]

<https://social-login-m2.magento-demo.ama>**Sort Order**

[store view]


1

Set the **Enabled** to Yes to allow logging in via Apple ID.

Enter the **Apple Team ID**, **Client ID**, **Key ID** that were previously generated at the Apple Developer account.

Learn how to configure the [Client ID](#) and the [Key ID](#) in appropriate sections of this User Manual.

To find the **Apple Team ID**, please go to your Apple Developer Account, **Membership** tab. The ID will be located as shown in the screenshot below.



The screenshot shows the Apple Developer account interface. On the left, the 'Membership' tab is selected in the sidebar. The main content area displays 'Membership Details' for the team 'Amasty s.r.o.'. A table lists membership information, with the 'Team ID' field highlighted by a red box and a red circle.

| Membership Information |                                                                         |
|------------------------|-------------------------------------------------------------------------|
| Program Type           | Apple Developer Program                                                 |
| Team Name              | Amasty s.r.o.                                                           |
| Team ID                | XXXXXXXXXX                                                              |
| Entity Type            | Company / Organization                                                  |
| Phone                  | 421-948202804                                                           |
| Address                | Špitálska 53<br>Bratislava - mestská časť Staré Mesto 81101<br>Slovakia |

Choose the **Key(\*.p8 file)**. You can obtain it when creating the [Private Key for Client Authentication](#) at the Developer account.


Define the **Valid Redirect URI** - the page on your website to which user will be redirected after a successful authorisation.

Set the **Sort Order** to decide in which order the 'Login with Apple ID' button will be displayed.

## Create credentials in developer account

Apple may charge some fees for participating in the Apple Developer Program. Learn more about it [here](#).


Sign in to the **Apple Developer Portal** and click on **Certificates, Identifiers and Profiles**.



The screenshot shows the Apple Developer Account Overview page for Amasty s.r.o. The page is titled "Amasty s.r.o. Apple Developer Program". On the left, there is a sidebar with "Program Resources" and "Additional Resources". The "Program Resources" section includes "Overview" (selected), "Membership", "People", "Certificates, IDs & Profiles", "App Store Connect", "CloudKit Dashboard", and "Code-Level Support". The "Additional Resources" section includes "Documentation", "Downloads", "Forums", "Feedback Assistant", "Account Help", and "Contact Us". The main content area has three cards: "People" (Send invitations to your development team), "Certificates, Identifiers & Profiles" (Manage the certificates, identifiers, profiles, and devices you need to develop and distribute apps), and "App Store Connect" (Publish and manage your apps on the App Store with App Store Connect). The "Certificates, Identifiers & Profiles" card is highlighted with a red border.

## Create an App ID

First, you will need to create an **App ID**. In the Apple Developer Account, navigate to the **Certificates, Identifiers & Profiles > Identifiers**. Then, click the blue plus icon.



The screenshot shows the "Certificates, Identifiers & Profiles" page in the Apple Developer Account. The page title is "Certificates, Identifiers & Profiles". On the left, there is a sidebar with "Certificates", "Identifiers" (selected), "Devices", "Profiles", "Keys", and "More". The "Identifiers" section is highlighted with a red border. The main content area shows a table of identifiers. The table has three columns: "NAME", "IDENTIFIER", and "PLATFORM". There are three rows of identifiers: "Social Login Demo", "SocialLoginTest", and "test". The "Social Login Demo" and "SocialLoginTest" rows have a blue plus icon next to the "IDENTIFIER" column. The "test" row has a blue plus icon next to the "IDENTIFIER" column. The "test" row is highlighted with a red border.

| NAME              | IDENTIFIER                        | PLATFORM |
|-------------------|-----------------------------------|----------|
| Social Login Demo | <a href="#">Social Login Demo</a> | iOS      |
| SocialLoginTest   | <a href="#">Social Login Test</a> | iOS      |
| test              | <a href="#">Social Login Test</a> | iOS      |

On the next page, enter the description and Bundle ID for the AppID.

# Certificates, Identifiers & Profiles

[< All Identifiers](#)

## Register a New Identifier

[Continue](#)

- ☒ **App IDs**  
Register an App ID to enable your app to access available services and identify your app in a provisioning profile. You can enable app services when you create an App ID or modify these settings later.
- ☐ **Services IDs**  
For each website that uses Sign in with Apple, register a services identifier (Services ID), configure your domain and return URL, and create an associated private key.
- ☐ **Pass Type IDs**  
Register a pass type identifier (Pass Type ID) for each kind of pass you create (i.e. gift cards). Registering your Pass Type IDs lets you generate Apple-issued certificates which are used to digitally sign and send updates to your passes, and allow your passes to be recognized by Wallet.
- ☐ **Website Push IDs**  
Register a Website Push Identifier (Website Push ID). Registering your Website Push IDs lets you generate Apple-issued certificates which are used to digitally sign and send push notifications from your website to macOS.
- ☐ **iCloud Containers**  
Registering your iCloud Container lets you use the iCloud Storage APIs to enable your apps to store data and documents in iCloud, keeping your apps up to date automatically.
- ☐ **App Groups**  
Registering your App Group allows access to group containers that are shared among multiple related apps, and allows certain additional interprocess communication between the apps.

Please note that description is more for the internal use, so you can name it any way you want. The best practice is to use the descriptive naming so that you can easily understand to which website the App ID belongs.

 Developer Amasty s.r.o. - 

## Certificates, Identifiers & Profiles

[< All Identifiers](#)

### Register an App ID

Platform

iOS, macOS, tvOS, watchOS

Description

1 Social Login Connection

You cannot use special characters such as @, &, \*, ' , "

App ID Prefix

AD7MNH7H95 (Team ID)

Bundle ID ☒ Explicit ☐ Wildcard

2 example.store

We recommend using a reverse-domain name style string (i.e., com.domainname.appname). It cannot contain an asterisk (\*).

Back Continue

### Capabilities

| ENABLED                  | NAME                                                                                                             |
|--------------------------|------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> |  Access WiFi Information ⓘ      |
| <input type="checkbox"/> |  App Groups ⓘ                   |
| <input type="checkbox"/> |  Apple Pay Payment Processing ⓘ |

3 Scroll down the 'Capabilities' to find the 'Sign In with Apple' checkbox

On the screenshot example above, the Description name is *Social Login Connection* for the *example.store* Bundle ID. The Bundle ID is best when it's a reverse-dns style string.

Then, scroll down the 'Capabilities' to find the 'Sign In with Apple' checkbox. Enable it by ticking the checkbox. Then, press the **Continue** button in the upper-right corner. Save the App ID.

## Create a Services ID

Then, separately create the **Services ID**. The flow is similar to the **App IDs** creation. First, go to the Apple Developer Account, navigate to the **Certificates, Identifiers & Profiles > Identifiers**. Then, click the blue plus icon to create a new identifier. This time, choose the **Services IDs** option, as shown in the screenshot below.

# Certificates, Identifiers & Profiles

[◀ All Identifiers](#)

## Register a New Identifier

[Continue](#)

- ☐ **App IDs**  
Register an App ID to enable your app to access available services and identify your app in a provisioning profile. You can enable app services when you create an App ID or modify these settings later.
- ☒ **Services IDs**  
For each website that uses Sign in with Apple, register a services identifier (Services ID), configure your domain and return URL, and create an associated private key.
- ☐ **Pass Type IDs**  
Register a pass type identifier (Pass Type ID) for each kind of pass you create (i.e. gift cards). Registering your Pass Type IDs lets you generate Apple-issued certificates which are used to digitally sign and send updates to your passes, and allow your passes to be recognized by Wallet.
- ☐ **Website Push IDs**  
Register a Website Push Identifier (Website Push ID). Registering your Website Push IDs lets you generate Apple-issued certificates which are used to digitally sign and send push notifications from your website to macOS.
- ☐ **iCloud Containers**  
Registering your iCloud Container lets you use the iCloud Storage APIs to enable your apps to store data and documents in iCloud, keeping your apps up to date automatically.

The **Services ID** will identify the particular instance of your app and is used as the OAuth `client_id`.

In the next step, please enter the **Description** that the user will see during the login flow and the **Identifier** which becomes the OAuth `client_id`. similarly, check the **Sign In with Apple** checkbox.

# Certificates, Identifiers & Profiles

[◀ All Identifiers](#)

## Register a Services ID

[Back](#)[Continue](#)

Description

You cannot use special characters such as @, &amp;, \*, ' , "


Identifier

We recommend using a reverse-domain name style string (i.e., com.domainname.appname). It cannot contain an asterisk (\*).

Then, click on the **Configure** button next to the **Sign In with Apple** checkbox. This is the stage where you define the domain your app is running on, and the redirect URLs used during the OAuth flow.

 Developer

Amasty s.r.o. - 

Amasty s.r.o. - 

## Certificates, Identifiers & Profiles

[< All Identifiers](#)

### Edit your Services ID Configuration

Remove

Continue

Description

Social Login Connection

You cannot use special characters such as @, &, \*, ' , "

Identifier

com.example.business.name

| ENABLED                             | NAME               |
|-------------------------------------|--------------------|
| <input checked="" type="checkbox"/> | Sign In with Apple |

Configure

This is the way the configuration pop-up will look like. Make sure that the App ID you created on the previous step is chosen as the **Primary App ID**. If this is the first App ID you've made that uses Sign In with Apple, most likely it will already be selected.

## Web Authentication Configuration

Use Sign in with Apple to let your users sign in to your app's accompanying website with their Apple ID. To configure web authentication, group your website with the existing primary App ID that's enabled for Sign in with Apple.

Primary App ID

7 App IDs

Social Login Connection (AD7MNH7H95.example.store)

X | v

## Register Website URLs

Provide your web domain and return URLs that will support Sign in with Apple. Your website must support TLS 1.2 or higher. After registering new website URLs, confirm the list you'd like to add to this Services ID and click Done. To complete the process, click Continue, then click Save.

Domains and Subdomains

example-business.com

Enter a comma delimited list of domains and subdomains.

Return URLs

https://example-business.com/redirect



Enter a comma delimited list of Return URLs.

Cancel

Next

Please kindly note that Apple doesn't allow the localhost URLs in this step. So if you enter an IP address like 111.0.0.1, it will fail later in the flow. Please use a real domain name here.

Save the entered data by clicking on the **Next** → **Save** → **Continue** → **Register** buttons to finalize the Services ID configuration.

## Create a Private Key for Client Authentication

Third, you will need to create **Key ID**. In the Apple Developer Account, navigate to the Certificates, Identifiers & Profiles > Keys. Then, click the blue plus icon.

 Developer

Ipadus Amasty 

Amasty s.r.o. - 

## Certificates, Identifiers & Profiles

Certificates

Identifiers

Devices

Profiles

More

1 Keys 

2 Keys 

NAME 

SERVICE ENABLED

|                                  |   |
|----------------------------------|---|
| Apple ID login for Example Store | 1 |
| blabla                           | 1 |
| newkey                           | 1 |
| sloginkey                        | 1 |
| Social login demo key            | 1 |
| SocialLoginPart2                 | 1 |
| SocialLoginPart3                 | 0 |
| test                             | 1 |
| testkey                          | 1 |

Enter the key name, similarly to the example on the screenshot below. Remember to tick the **Sign In with Apple** checkbox and configure all required options.

 Developer

Ipadus Amasty  
Amasty s.r.o. -

## Certificates, Identifiers & Profiles

[← All Keys](#)

### Register a New Key

[Continue](#)

Key Name

Example Social Login

You cannot use special characters such as @, &, \*, ;, "

| ENABLE                              | NAME                                    | SERVICE                                                                                                                                                                                                   |                           |
|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| <input type="checkbox"/>            | Apple Push Notifications service (APNs) | Establish connectivity between your notification server and the Apple Push Notification service. One key is used for all of your apps. <a href="#">Learn more</a>                                         |                           |
| <input type="checkbox"/>            | DeviceCheck                             | Access per-device, per-developer data that your associated server can use in its business logic. One key is used for all of your apps. <a href="#">Learn more</a>                                         |                           |
| <input type="checkbox"/>            | MapKit JS                               | Use Apple Maps on your websites. Show a map, display search results, provide directions, and more. <a href="#">Learn more</a><br>ⓘ There are no identifiers available that can be associated with the key | <a href="#">Configure</a> |
| <input type="checkbox"/>            | MusicKit                                | Access the Apple Music catalog and make personalized requests for authorized users. <a href="#">Learn more</a><br>ⓘ There are no identifiers available that can be associated with the key                | <a href="#">Configure</a> |
| <input checked="" type="checkbox"/> | Sign in with Apple                      | Enable your apps to allow users to authenticate in your application with their Apple ID. Configuration is required to enable this feature.                                                                | <a href="#">Configure</a> |

Copyright © 2020 Apple Inc. All rights reserved. | [Terms of Use](#) | [Privacy Policy](#)

Then, press **Continue**. In the next step, link the Primary App ID in the dropdown to the App ID you created earlier.

 Developer

Ipadus Amasty  
Amasty s.r.o. -

## Certificates, Identifiers & Profiles

[← View Key](#)

### Configure Key

[Back](#) [Save](#)

Create a key for each of your primary App IDs in order to implement Sign in with Apple. This key will also be used for any App IDs grouped with the primary. The user will see your primary app's icon at sign in and in their Apple ID account settings.

Primary App ID: 5 App ID s

Select...

- asfdadsfasd ( )
- SocialLoginPart2 ( )
- Social Login Demo ( )
- SocialLoginPart3 ( )
- Social Login Connection ( )

← Select the AppID you created earlier

Press the **Save** → **Register** buttons in order to proceed with the successful configuration.

 Developer

Ipadus Amasty ▾  
Amasty s.r.o. - [redacted]

## Certificates, Identifiers & Profiles

[< View Key](#)

### Configure Key

Back Save

Create a key for each of your primary App IDs in order to implement Sign in with Apple. This key will also be used for any App IDs grouped with the primary. The user will see your primary app's icon at sign in and in their Apple ID account settings.

Primary App ID: 5 App ID s

Social Login Connection ([redacted].example.store) X ▾

#### Grouped App IDs

These App IDs are enabled with Sign in with Apple by being grouped with the primary App ID selected above. Users will see your primary app's icon, terms and conditions, and privacy policy when they first sign in, and in their Apple ID account settings.

Social Login Connection ([redacted].com.example.business.name)

After a successful key configuration, Apple will generate a new private key for you. You will be offered to download the Key file in the '\*.p8' format.

 Developer

Ipadus Amasty ▾  
Amasty s.r.o. - [redacted]

## Certificates, Identifiers & Profiles

[< All Keys](#)

### Download Your Key

Download Done

 After downloading your key, it cannot be re-downloaded as the server copy is removed. If you are not prepared to download your key at this time, click Done and download it at a later time. Be sure to save a backup of your key in a secure place.

Name: Example Social Login  
Key ID: 5RZ4F8B7P7  
Services: Sign in with Apple

Please keep in mind that you can download the Key file **ONLY ONCE**. Please, make sure you saved the file in a secured place so that you can get back to it later if necessary.

Lastly, check the key information to find your Key ID which you'll need to configure the extension in the Magento 2 backend.

Download and save the Key file. Then, upload in it the [Apple ID configurations](#).

After a successful Key ID verification, the file will no longer be stored at your Magento server. This is to prevent creating excessive files on a server.


Please take into consideration that all Apple Developer credentials that you have created will be valid for 6 months, as designed by Apple guidelines. Please timely update all necessary API credentials to guarantee proper add-on functioning.

## Login to social networks via GraphQL

Please note, that this method is only valid for **PWA**.

With the extension you can log in to various social networks using GraphQL module. Do the following steps to use this feature:


- Install the GraphQL module for Social Login **composer require amasty/social-login-graphql**
- Run GraphQL query '**amSocialLoginButtonConfig**' to get the list of available configured social networks along with their corresponding URLs to complete the login.



- Open the URL you need, appending '**generateToken=true**' to it at the end.
- Then you will see the confirmation that your login was successful and the token has been generated.
- After obtaining the token, you can use it to access various types of customer information through GraphQL.

## Frontend example (Login with Apple ID add-on)

This is an example of the **Login via Apple ID** button on the frontend.



When a customer logs in directly via Apple ID by entering their email, they'll proceed through the standard authorization process. Based on an individual's Apple account preferences, authorization might include two-factor authentication. If this user doesn't have an existing account, a new account will be automatically created based on a provided Apple ID email. In such cases, the default username will be **New User**. The username can be changed later in the Customer Account settings.

## Additional packages (provided in composer suggestions)

To make additional functionality available, please install the suggested packages you may need.

Available for all tariff plans with **no additional fees**:

- **amasty/social-login-graphql** - Install amasty/social-login-graphql module to activate GraphQL and Social Login integration.

- **amasty/module-social-login-recaptcha** - Install amasty/module-social-login-recaptcha module to activate Google ReCaptcha and Social Login integration.
- **amasty/aminvisiblecaptcha** - Install amasty/aminvisiblecaptcha module to activate Amasty Google Invisible reCaptcha and Social Login integration.
- **amasty/module-social-to-builder** - Install Amasty\_SocialToBuilder module to activate the integration with Custom Reports Builder extension and create valuable reports about your Social Networks.

Available as a part of an active product **subscription** or support subscription:

For **Basic and Pro** versions:

- **amasty/module-social-login-hyva** - Install this module for the compatibility with Hyva Theme.
- **amasty/module-invisible-captcha-hyva** - Install module-invisible-captcha-hyva module to activate the integration Captcha module with Hyva Theme.
- **amasty/module-social-login-pinterest** - Install this package for Pinterest compatibility.

For **Pro** tariff plan only:

- **amasty/module-social-login-microsoft-graph** - Install this package for Microsoft Azure Single Sign-On compatibility.

## PWA for Social Login (Add-On)


With a ready-made PWA solution, you can provide shoppers with a smooth user experience on mobile. Provide shoppers with an intuitive way to log in with social networks on any device and browser.


The feature can be enabled only after purchasing the **PWA for Social Login Add-On**. Also, you need to [install PWA Studio](#) first.

In order to correctly install a PWA add-on, please install the **corresponding GraphQL system package** first. For the correct name of it, please check the *composer.json* file of the main module. For example, the GraphQL system package name of the PWA add-on for the Blog Pro extension would be the following: **amasty/blog-graphql**

```
{
  "name": "amasty/blog",
  "description": "Amasty Blog Pro",
  "require": {
    "php": ">=7.3.0",
    "amasty/base": ">=1.13.4",
    "amasty/email-unsubscribe": "*",
    "amasty/cron-schedule-list": "*",
    "magento/framework": ">=102.0.0",
    "magento/module-catalog": "*"
  },
  "suggest": {
    "amasty/blog-page-builder": "Install blog-page-builder module to activate PageBuilder and Blog Pro integration.",
    "amasty/blog-graphql": "Install blog-graphql module to activate GraphQL and Blog Pro integration.",
    "amasty/module-blog-mftf-3": "Install module-blog-mftf-3 module to be able to run Blog Pro MFTF tests for Magento 2.4.0+ version.",
    "amasty/module-blog-pro-to-builder": "Install Amasty_BlogProToBuilder module to activate the integration with Custom Reports Builder extension."
  },
  "type": "magento2-module",
  "version": "2.10.4",
  "license": [
    "Commercial"
  ],
  "autoload": {
    "files": [
      "registration.php"
    ]
  }
}
```

If the add-on is installed, then the Venia theme will display social login options as follows:






Please note that the login via Instagram will work only if you log in from the profile page.  
Find out more about Magento PWA integration [here](#).

## Troubleshooting (PWA add-on)

- I have the **magento2-upward-connector** module installed so that if I made an attempt to login via Google it redirects me to 404 page. What can I do?

Please navigate to **Stores → Configuration → General → Web → UPWARD PWA Configuration** and add the URL 'amsociallogin' to the list of allowed names for the UPWARD configuration.

### UPWARD PWA Configuration



Find out how to install the Social Login extension via [Composer](#).

From:

<https://amasty.com/docs/> - **Amasty Extensions FAQ**

Permanent link:

[https://amasty.com/docs/doku.php?id=magento\\_2:social\\_login](https://amasty.com/docs/doku.php?id=magento_2:social_login)



Last update: **2025/04/08 14:53**